

ISSN 2518-1483 (Online),
ISSN 2224-5227 (Print)

2018 • 2

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

БАЯНДАМАЛАРЫ

ДОКЛАДЫ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

REPORTS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ЖУРНАЛ 1944 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1944 г.
PUBLISHED SINCE 1944



Бас редакторы
х.ғ.д., проф., ҚР ҰҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

Адекенов С.М. проф., академик (Қазақстан) (бас ред. орынбасары)
Величкин В.И. проф., корр.-мүшесі (Ресей)
Вольдемар Вуйцик проф. (Польша)
Гончарук В.В. проф., академик (Украина)
Гордиенко А.И. проф., академик (Белорус)
Дука Г. проф., академик (Молдова)
Илолов М.И. проф., академик (Тәжікстан),
Леска Богуслава проф. (Польша),
Локшин В.Н. проф. чл.-корр. (Қазақстан)
Нараев В.Н. проф. (Ресей)
Неклюдов И.М. проф., академик (Украина)
Нур Изура Удзир проф. (Малайзия)
Перни Стефано проф. (Ұлыбритания)
Потапов В.А. проф. (Украина)
Прокопович Полина проф. (Ұлыбритания)
Омбаев А.М. проф., корр.-мүшесі (Қазақстан)
Өтелбаев М.О. проф., академик (Қазақстан)
Садыбеков М.А. проф., корр.-мүшесі (Қазақстан)
Сатаев М.И. проф., корр.-мүшесі (Қазақстан)
Северский И.В. проф., академик (Қазақстан)
Сикорски Марек проф., (Польша)
Рамазанов Т.С. проф., академик (Қазақстан)
Такибаев Н.Ж. проф., академик (Қазақстан), бас ред. орынбасары
Харин С.Н. проф., академик (Қазақстан)
Чечин Л.М. проф., корр.-мүшесі (Қазақстан)
Харун Парлар проф. (Германия)
Энджун Гао проф. (Қытай)
Эркебаев А.Э. проф., академик (Қырғыстан)

«Қазақстан Республикасы Ұлттық ғылым академиясының баяндамалары»

ISSN 2518-1483 (Online),

ISSN 2224-5227 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)
Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 01.06.2006 ж.
берілген №5540-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 500 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
http://nauka-nanrk.kz_reports-science.kz

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Редакционная коллегия:

Адекенов С.М. проф., академик (Казахстан) (зам. гл. ред.)
Величкин В.И. проф., чл.-корр. (Россия)
Вольдемар Вуйцик проф. (Польша)
Гончарук В.В. проф., академик (Украина)
Гордиенко А.И. проф., академик (Беларусь)
Дука Г. проф., академик (Молдова)
Илолов М.И. проф., академик (Таджикистан),
Леска Богуслава проф. (Польша),
Локшин В.Н. проф. чл.-корр. (Казахстан)
Нараев В.Н. проф. (Россия)
Неклюдов И.М. проф., академик (Украина)
Нур Изура Удзир проф. (Малайзия)
Перни Стефано проф. (Великобритания)
Потапов В.А. проф. (Украина)
Прокопович Полина проф. (Великобритания)
Омбаев А.М. проф., чл.-корр. (Казахстан)
Отелбаев М.О. проф., академик (Казахстан)
Садьбеков М.А. проф., чл.-корр. (Казахстан)
Сатаев М.И. проф., чл.-корр. (Казахстан)
Северский И.В. проф., академик (Казахстан)
Сикорски Марек проф., (Польша)
Рамазанов Т.С. проф., академик (Казахстан)
Такибаев Н.Ж. проф., академик (Казахстан), зам. гл. ред.
Харин С.Н. проф., академик (Казахстан)
Чечин Л.М. проф., чл.-корр. (Казахстан)
Харун Парлар проф. (Германия)
Энджун Гао проф. (Китай)
Эркебаев А.Э. проф., академик (Кыргызстан)

Доклады Национальной академии наук Республики Казахстан»

ISSN 2518-1483 (Online),

ISSN 2224-5227 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5540-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год.

Тираж: 500 экземпляров

Адрес редакции: 050010, г.Алматы, ул.Шевченко, 28, ком.218-220, тел. 272-13-19, 272-13-18

<http://nauka-nanrk.kz> reports-science.kz

©Национальная академия наук Республики Казахстан, 2018 г.

Адрес типографии: ИП «Аруна», г.Алматы, ул.Муратбаева, 75

E d i t o r i n c h i e fdoctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov****E d i t o r i a l b o a r d :****Adekenov S.M.** prof., academician (Kazakhstan) (deputy editor in chief)**Velichkin V.I.** prof., corr. member (Russia)**Voitsik Valdemar** prof. (Poland)**Goncharuk V.V.** prof., academician (Ukraine)**Gordiyenko A.I.** prof., academician (Belarus)**Duka G.** prof., academician (Moldova)**Ilolov M.I.** prof., academician (Tadjikistan),**Leska Boguslava** prof. (Poland),**Lokshin V.N.** prof., corr. member. (Kazakhstan)**Narayev V.N.** prof. (Russia)**Nekludov I.M.** prof., academician (Ukraine)**Nur Izura Udzir** prof. (Malaysia)**Perni Stephano** prof. (Great Britain)**Potapov V.A.** prof. (Ukraine)**Prokopovich Polina** prof. (Great Britain)**Ombayev A.M.** prof., corr. member. (Kazakhstan)**Otelbayv M.O.** prof., academician (Kazakhstan)**Sadybekov M.A.** prof., corr. member. (Kazakhstan)**Satayev M.I.** prof., corr. member. (Kazakhstan)**Severskyi I.V.** prof., academician (Kazakhstan)**Sikorski Marek** prof., (Poland)**Ramazanov T.S.** prof., academician (Kazakhstan)**Takibayev N.Zh.** prof., academician (Kazakhstan), deputy editor in chief**Kharin S.N.** prof., academician (Kazakhstan)**Chechin L.M.** prof., corr. member. (Kazakhstan)**Kharun Parlar** prof. (Germany)**Endzhun Gao** prof. (China)**Erkebayev A.Ye.** prof., academician (Kyrgyzstan)**Reports of the National Academy of Sciences of the Republic of Kazakhstan.****ISSN 2224-5227****ISSN 2518-1483 (Online),****ISSN 2224-5227 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5540-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 500 copies

Editorial address: 28, Shevchenko str., of.219-220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://nauka-nanrk.kz> / reports-science.kz

**REPORTS OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN**

ISSN 2224-5227

Volume 2, Number 318 (2018), 9 – 16

UDC 678.03:546.26; 677.4

**B.T. Ermagambet, M.K. Kazankapova, Zh.Kh.Ermogambetov,
A.T. Nauryzbayeva, K.G. Kanagatov, L.D.Abylgazina**Institute of Coal Chemistry and Technology LLP, Astana, Kazakhstan
bake.yer@mail.ru; maira_1986@mail.ru; zhasik-28@mail.ru; k.koba@bk.ru; asemai_2296@mail.ru;
lelya_1501@mail.ru**METHODS FOR PRODUCING CARBON
NANOFIBERS FROM COAL PITCH**

Abstract. The article gives a literature review of nanofiber production technologies from coal tar pitch. The basic methods for obtaining carbon nanofibers are considered: the stretching method, the template method, magnet spinning, electrospinning. It presents the advantages and disadvantages of these methods for the synthesis of carbon nanofibers. A technological scheme for the production of carbon fiber based on coal tar pitch has also been proposed. The prospectivity of these studies lies in the possibility of large-scale production of carbon fibers from coal pitch.

Key words: nanofiber, coal pitch, nanocomposites, method of drawing, templating method, electrospinning, magnet spinning.

Introduction

The new "era" of science throughout the world was marked by the discovery of nanomaterials. Among a wide class of nanomaterials, carbon fibers (CF) occupy a separate position, due to the uniqueness of their physicochemical properties and the prospects for practical application. Carbon fiber is a material consisting of thin filaments with a diameter of 5 to 15 microns, formed predominantly by carbon atoms. The carbon atoms are combined into microscopic crystals aligned parallel to each other. Aligning the crystals gives the fiber more tensile strength. Carbon fibers are characterized by high tension force, low specific gravity, low coefficient of temperature expansion and chemical inertness. Special fibers from phenolic resins, lignin, coal and petroleum pitches can be used to produce hydrocarbons. In this respect, coal precursors are of particular interest, since they are economically viable, and also present in large quantities in various coal deposits.

Coal pitch is a solid product of coal tar processing (yield 50-60% by weight). Coal pitch is a uniform in appearance, a thermoplastic substance of black color with a brilliant wrinkled fracture. The main components of pitch are aromatic and heterocyclic compounds, as well as their polymerization and polycondensation products. About 500 compounds have been identified in the coal tar pitch, including benzoanthracene, benzopyrenes, perylene, benzo-fluorenes, fluoranthene, naphthalene, chrysene, brazan and alkyl brazans, triphenylene, etc. [1].

Carbon fibers are one of the main types of reinforcing elements used to create high-modulus high-strength composite materials.

Materials based on carbon fibers have already been applied in the most significant, knowledge-intensive industries: engineering, nuclear power, aviation and cosmonautics, military-industrial complex, construction, in addition, carbon fibers have the potential to be used in various new applications such as electrodes, substrates catalysts, adsorbents, composites, etc. because of their large surface area and relatively high electrical conductivity [2]. In view of the low cost of the raw materials, the priority goals remain the reduction of energy inputs and the increase in the yield of the target product.

The first developments in the production of carbon fibers from pitch were carried out by Japanese researchers, who are still holding the first place in the world market for the production of carbon fibers.

The technology for producing pitch-based carbon fiber includes several stages: preparation of the substrate, fiber synthesis by spinning from the melt, stabilization in an oxidizing atmosphere, carbonization in an inert atmosphere, graphitization at an elevated temperature.

The conventional technology for the production of carbon fibers is based on the thermal treatment of various organic fibers: hydrate-cellulose, polyacrylonitrile (PAN), pitch, polyesters, polyamides and other polymers [3]. For technological and economic reasons, the most suitable were viscose, PAN and pitches [4].

The authors of [5, 6] considered that all carbon fibers were divided into several types depending on how and from what they are made (Figure 1). However, now the classification is based on their mechanical properties.




Figure 1 - Types of carbon fibers by origin

The method of drawing is that using a micromanipulator, a thin point is slightly immersed in a drop of the polymer solution near the contact boundary [7] (Figure 2). Then the point is extracted from the drop at a speed of $\sim 10^{-4}$ m/s, pulling the nanofibers behind it. The method of drawing produces nanofibers of polymers that withstand large deformations while in a viscous-flowing state. The length of the fibers obtained is determined by the speed of curing of the fiber due to the evaporation of the solvent (when forming the polymer solution) or the glass transition of the melt (when forming the polymer melt) [8].




Figure 2 - Schematic representation of the preparation of nanofibers by drawing

The invention [9] relates to a technology for producing carbon fibers from carbon tar. Fibers are drawn by a single gas stream followed by additional drawing when exposed to one additional gas flow creating tension in the fiber, the velocity of at least one additional gas flow exceeding the speed of the fiber. The fiber and the additional gas stream are passed through a Venturi tube and the tensioned fiber is thermoset.

The method [10] for producing nanostructured carbon fibers is that a sprayed catalyst is deposited on the upper surface of a rotating disk through a precipitating chamber of the reactor, heated to a pyrolysis temperature, after which a continuous supply of hydrocarbon gas and the removal of gaseous pyrolysis products are carried out, and upon completion of the process pyrolysis, the finished product together with the catalyst is cooled.

The authors also considered the template method, called the nanofilter method. In this method, a template substrate (a substrate with oriented 1D nanopores) determines the direction of polymer extrusion (Figure 3). The polymer solution is pressed through the nanoporous membrane due to the created hydrostatic pressure and the formed nanofibers fall into the curing solution. The diameter of nanopores determines the diameter of nanofibers. As a nanoporous membrane, porous oxides are used, for example anodized aluminum oxide, or metal dies with nanopores formed by laser drilling [11, 12].




Figure 3 - Diagram of the preparation of nanofibers of polymers by the template method

Electroforming (electrospinning) is the name of a process that leads to the formation of nanofibers as a result of the action of electrostatic forces on an electrically charged jet of polymer solution or a melt [13]. Figure 4 shows the scheme of the process of electroforming (EF).




Figure 4 - Scheme of obtaining nanofibers by electroforming process

The essence of the method of electrospinning is that the electrical voltage from one to one hundred kilovolts is applied to a solution (melt), which is fed through a capillary by means of a dispenser [14]. The high voltage induces in the solution the same electric charge, which, as a result of the Coulomb electrostatic interaction, leads to the drawing of the polymer solution into a thin jet [15]. During the electrostatic drawing of a polymer jet, it can undergo a series of successive splittings into thinner jets with a certain ratio of the viscosity values, surface tension and the density of electric charges (or the electrostatic field strength) in the fiber [16]. The resulting jets harden by evaporation of the solvent or as a result of cooling, turning into fibers and under the action of electrostatic forces drift to a grounded

substrate having the opposite value of the electric potential. It should be noted that the polarity with the EF can also be reversed when the capillary is grounded, and a high voltage is applied to the depositing substrate. The precipitation electrode (collector) must have good electrical conductivity [17, 18].

The authors of [19] found that by varying the parameters of the electro spinning process, it is possible to vary the thickness of biopolymer threads in the range from hundreds of nanometers to several microns. Figure 5 shows an installation designed to produce biopolymer matrices by the method of electrospinning.




Figure 5-Installation created for manufacturing biopolymer matrices by the method of electrospinning:
1-perfusor (polymer feeding systems); 2- high-voltage power supply; 3- substrate (stationary grounded collector)

The method of electrospinning is good because, unlike usual, mechanical drawing of fibers from a solution, it does not impose high requirements on the chemistry of the process, it does not require high temperatures for solidification of the fiber, and therefore it allows the creation of fibers from long and complex molecules. As a result of the struggle between capillary and electrostatic forces, as well as the processes inside the solution, the charged drop itself lengthens, becomes thinner and dries out in flight. This method has significant drawbacks. It does not allow working with solutions of polymers with a small dielectric constant. In addition, it uses high-voltage equipment, which, firstly, is quite expensive, and secondly, it makes serious demands on safety.

Magnetospinning is a new technique for obtaining nanofibres that lacks these drawbacks. Because it uses magnetic fields to draw the fiber. It looks simpler, and its implementation does not cost as much as an electrospinning. Installation for magnetospinning can be assembled from a cheap magnet, a simple electric motor and a syringe. This method makes it possible to reduce the cost of production of fibers.

The principle of the magnetospinning method: a permanent magnet is fixed on a rotating disk (Figure 6). The point of the syringe is next to the disc. At the end of the syringe hangs a droplet of ferrofluid (polymer solution with magnetic nanoparticles). The speed of rotation of the disk is adjustable in a wide range up to several thousand revolutions per minute. The magnet attracts a droplet, and when it passes in the immediate vicinity of the tip of the needle, the droplet breaks and sticks to the magnet. With a suitable viscosity of the solution between the needle and the magnet, a bridging-constriction occurs. The disc continues to rotate, the distance between the magnet and the needle increases, the constriction stretches out, thins, but does not break. The solvent evaporates at this time, the filament becomes even thinner and solidifies, and as a result, nanofibres are formed. The bobbin, fixed on the opposite side of the disc, ensures continuous winding of the fiber.




Figure 6 –Scheme of nanofibers synthesis by magnetospinning

Figure 7 represents types of fibers produced by magnetospinning method.




Figure 7 - Fibers produced by magnetospinning method: a- fibers from teflon; b– porous nanofibres; c- silver wire in polymer shell; d-nanofibers with 10% carbon nanotubes

Technological scheme of carbon fibers production based on coal pitch is presented below(Figure8).




Figure 8 –Technological scheme of carbon fibers production based on coal pitch

The most important stage in the production of carbon fiber based on coal tar pitch is the process of obtaining the initial fiber. Pitches are a complex mixture of aromatic and aliphatic compounds. The molecular weight of the compounds is relatively small, and only a part of them can be attributed to oligomers. Of these systems, only a coarse brittle fiber can be formed from which a good quality carbon fiber cannot be obtained, so low-molecular volatile compounds must be previously removed to impart fiber-forming properties to the pitch. To increase the molecular weight, the pitch must be subjected to heat treatment.

In the first stage, the coal tar is placed in an oven at a temperature of 700°C, then tetrahydrofuran (THF) is added in a volume ratio of 1:1 and stirred for 24 hours. The insoluble part of THF is removed by filtration of the coal mixture and the purified coal tar is collected by separating THF at 800°C in vacuo. Then, 200 g of coal tar is heated to 370°C and is bubbled with nitrogen at a rate of 1 l/min for 1 hour. After this, the reactor is cooled to room temperature and intermediate pitches are collected. Further, the reactor is filled with 10 g of intermediate pitch and heated to (200-360⁰C) for 10 minutes in a vacuum using an oil pump. Softening points are measured. Pakes are prepared with high softening points to produce carbonaceous fibers from the melt by further distillation, a heating temperature of 330°C. Further, electrospinning from the melt (melt-electrospinning) is carried out at a temperature of 310⁰C. The molding temperature depends on the carbon content in the pitch and can reach 300-330°C. Plasticizers, fiber-forming polymers and curing agents can be added to the pitch before molding to reduce the molding temperature, improve the spinnability and other technological objectives. The diameter of the winding drum should be 100 mm, and a wide range of winding speeds (250-900 rpm) will be adopted to achieve molding. The formed fiber, as a rule, is characterized by low strength and increased brittleness. Such properties are natural for fibers from oligomers, which are essentially pieces. To increase the strength and impart an imperfection, the formed fibers are oxidized in a gas or liquid medium. Oxygen (air), air with additives of ozone, oxygen or chlorine, a pair of nitroaromatic compounds (nitrobenzene, nitrophenol), sulfur dioxide and trioxide, oxides of ozone serve as oxidants [20]. Since oxidation is carried out at elevated temperatures, it is heated at a low rate to produce a spun fiber. The oxidation temperature in the air stream should be 280°C for 1 hour at a heating rate of 1°C. The oxidized fibers are carbonized at 800°C for 10 minutes at a heating rate of 5°C under a nitrogen atmosphere [21]. However, if the carbon content in the fiber is 95%, the heating rate can be increased to 10°C / min. In this case, the fiber yield

reaches 85-90%. The carbonized fiber is graphically drawn under tension both during electrical heating and when an electric current is passed through the fiber. Elastic-strength indexes of fibers from pitches can be significantly increased by drawing during heat treatment at temperatures above 2800 °C. Next, the finished fiber is wound on the coils [20, 22].

Conclusions

One of the aspects of the novelty of these studies is the development of technology for the production of carbon fibers without the use of polymer precursors, which will allow to solve the ecological aspect of utilization of this type of waste, to reduce the harmful effect on the environment with obtaining an economically viable product. The prospectivity of these studies lies in the possibility of large-scale production of carbon fibers from coal tar, which will lead to the appearance of materials and composites based on domestic production on the Kazakhstan market.

REFERENCES

- [1] Gorazhanova, A.S. Ivanov D.S., Shcherbenko P.V. Deep coal processing // M: Science. Dumka, **2013**. 304p.
- [2] Kap Seung Yang, Bo-Hye Kim and Seong-Ho Yoon. Pitch based carbon fibers for automotive body and electrodes // Carbon Letters-2014. Vol. 15. №3. P. 162-170.
- [3] Berveno V.P., Bryukhovetskaya L.V., Naymushina T.M. and others. Nano-texture of carbon fiber from the pitch // Chemistry for Sustainable Development. **2005**. Vol. 13, № 3. P. 423-426.
- [4] Rakov E.G., Blinov S.N., Ivanov I.G. and others. Continuous process of obtaining carbon fibers // Journal of Applied Chemistry. **2004**. Vol. 77, № 2. P. 193-196.
- [5] Mordkovich V.Z. Carbon nanofibers are a new ultrahigh-strength material for chemical technology (article from Japan) // Theoretical foundations of chemical technology. **2003**. Vol. 37, №5. P. 460-470.
- [6] Karaeva A.R., Mordkovich V.Z., Tretyakov V.F. Production of carbon nanotubes and nanotubes by catalytic pyrolysis of methane // Chemistry of Solid Fuel. **2005**. № 5. P. 67-83.
- [7] A new method of obtaining composite materials "Nanoparticle - carbon nanofilament". Perspective Technologies-nanostructures, superconductors, fullerenes // Express Bulletin. **2008**. Vol.15.№.23. P. 5-6.
- [8] Venugopal, J. & Ramakrishna, S. Applications of polymer nanofibers in biomedicine and biotechnology // Applied Biochemistry and Biotechnology, 125 (**2005**), pp. 147-157, ISSN 0273-2289
- [9] RU 2171867 of 04.11.1996.
- [10] RU 2409711 of 22.05.2009.
- [11] Li D., Wang Y., Xia Y. Electrospinning nanofibers as uniaxially aligned arrays and layer by-layer stacked films // Adv. Mater. **2004**. Vol.16. №4 -P.361-366.
- [12] Matveev A.T., Afanasov M. Obtaining of tissue fibers by the method of electroforming // Textbook by Moscow: MSU. **2010**. 83 p.
- [13] Huang, Z.M., Zhang, Y.Z., Kotaki, M. & Ramakrishna, S. // A review on polymer nanofibers by electrospinning and their applications in nanocomposites // Composites Science and Technology. **2003**. Vol.63. P. 2223-2253, ISSN 0266-3538
- [14] Zdraveva E., Pejnovic N., Mijovic B. Electrospinning of polyurethane nonwoven fibrous mats // TEDI. **2011**. Vol.1. №.1 P.55– 60.
- [15] Berezina O.Ya., Kirienko D.A., Markova N.P., Pergament A.L. Synthesis of vanadium micro- and nanonite-pentaoxide by the method of electrospinning // Technical Physics. **2015**. Vol. 85.№ 9. P. 105-110
- [16] Milleret V., Simona B., Neuenschwan-der P., Hall H. Tuning electrospinning parameters for production of 3D-fiberfleeces with increased porosity for soft tissue engineering applications // European Cells and Materials. **2011**. Vol. 21. №.21 P.286–303.
- [17] Fang J., Zhang Li, Sutton D., Wang X., Lin T. Needleless Melt-Electrospinning of Polypropylene Nanofibres // Journal of Nanomaterials. **2012**. Vol. 2012. P.1-9.
- [18] Tovmash A.V., Sadovsky A.S. Electrospinning is something new // Chemistry and Life. M. **2008**. № 11. P. 22 - 25.
- [19] Sevostyanova V.V., Golovkin A.S., Filipiev D.E., Glushkova T.V., Borisov V.V., Burago A.Yu., Barbarash L.S. // The choice of optimal parameters of electrospinning for the production of a small-diameter vascular graft from polycaprolactone // Fundamental research. **2014**. Vol. 10. P. 180-184.
- [20] Rebrov Yu.A., Kuznetsov P.V. Perspective for development of coal mining and processing // The Bulletin of the Week . **2013**. №10. P. 34-40
- [21] Jiyoung Kim, Ui-Su Im, Byungrok Lee. Pitch-based carbon fibers from coal tar or petroleum residue under the same processing condition // Carbon letters Vol. 19. P.72-78.
- [22] Patrakov Yu.F. Status and perspectives of deep coal processing // Chemistry for Sustainable Development. **2005**. № 13. - P. 81-85.

УДК 678.03:546.26; 677.4

**Б.Т.Ермағамбет, М.К.Казанкапова, Ж.Х.Ермоғамбетов,
А.Т.Наурызбаева, К.Г. Канағатов, Л.Д. Абылғазина**

ТОО «Институт химии угля и технологии», г.Астана, Казахстан

МЕТОДЫ ПОЛУЧЕНИЯ УГЛЕРОДНЫХ НАНОВОЛОКОН ИЗ КАМЕННОУГОЛЬНОГО ПЕКА

Аннотация. В статье приведен литературный обзор технологий получения нановолокон из каменноугольного пека. Рассмотрены основные методы получения углеродных нановолокон: метод вытягивания, темплатный метод, магнитоспиннинг, электроспиннинг. И представлены преимущества и недостатки этих методов для синтеза углеродных нановолокон. Также предложена технологическая схема производства углеродного волокна на основе каменноугольного пека. Перспективность данных исследований заключается в возможности масштабного производства углеродных волокон из каменноугольного пека.

Ключевые слова: нановолокно, каменноугольный пек, нанокompозиты, метод вытягивания, темплатный метод, электроспиннинг, магнитоспиннинг.

УДК 678.03:546.26; 677.4

**Б.Т. Ермағамбет, М.Қ. Қазанқапова, Ж.Х. Ермоғамбетов,
А.Т. Наурызбаева, К.Г. Канағатов, Л.Д. Абылғазина**

ЖШС «Көмір химиясы және технология институты», Астана қ., Қазақстан

КӨМІРТЕКТІ НАНОТАЛШЫҚТАРДЫ ТАСКӨМІР ПЕГІНЕН АЛУ ӘДІСТЕРІ

Аннотация. Мақалада таскөмір пегінен наноталшық алу технологиясына әдебиеттік шолу келтірілген. Көміртекті наноталшықты алудың негізгі әдістері берілген: созылу, темплатты әдіс, электроспиннинг, магнитоспиннинг. Көміртекті наноталшықты синтездеуге қолданылатын аталған әдістердің артықшылықтары мен кемшіліктері, сонымен қатар таскөмір негізінде алынған көміртекті талшықтарды өндірудің технологиялық схемасы келтірілген. Бұл зерттеулер көміртекті наноталшықтарды таскөмір пегінен масштабты өндіруге негіз болады.

Тірек сөздер: наноталшық, таскөмір пегі, нанокompозиттер, созылу әдісі, темплатты әдіс, электроспиннинг, магнитоспиннинг.

Information about authors:

Ermagambet Bolat Toleukhanuly - Kazakhstan, Astana, Director of LLP "Institute of Coal Chemistry and Technology", Doctor of Chemical Science, Professor, 010000, Astana, Ryskulbekovstr. 25/3, Apt. 1. workphone +7(7172)31-01-65, 999-253. mob. +7-702-888-8451, E-mail: bake.yer@mail.ru;

Kazankapova Maira Kuttybaevna - Kazakhstan, Astana, Senior Researcher of LLP "Institute of Coal Chemistry and Technology", Phd, 010000, Astana, str. 188, 13/6 apt. 12. mob.+7-705-840-6779, E-mail: maira_1986@mail.ru;

Ermogambetov Zhaksylyk Khuandykovich - Kazakhstan, Astana, Engineer of LLP "Institute of Coal Chemistry and Technology", Bachelor of Engineering and Technology, 010000, Astana, str. Kazhimukan 15, apt. 6, mob.+7-708-582-1933, E-mail: zhasik-28@mail.ru;

Kanagatov Koblan Gainievich - Kazakhstan, Astana, Laboratory technician of LLP "Institute of Coal Chemistry and Technology", Master student, 010000, Astana, str. Mangilk el 53, apt. 165, mob.+7-701-329-6091, E-mail: k.koba@bk.ru;

Nauryzbayeva Asemay Turlankyzy - Kazakhstan, Astana, Laboratory assistant of LLP "Institute of Coal Chemistry and Technology", Bachelor student, 010000, Astana, str. Kazhimukan 15, apt. 6, mob.+7-775-432-0806, E-mail: asemay_2296@mail.ru;

Abylgazina Leila Dauletovna - Kazakhstan, Astana, Junior Researcher of LLP "Institute of Coal Chemistry and Technology", Master of Engineering Sciences, Akmola region, Tselinograd district, Vozdvizhenka, Stepanovst 56/1, mob. +7-701-507-0057, E-mail: lelya_1501@mail.ru.

МАЗМҰНЫ

Техникалық ғылымдар

(ағылшын тілінде)

<i>Генбач А.А., Шоколаков К.К.</i> Көбік өндіретін және көбік сөндіретін құрылымдармен бүркігішсіз капиллярлы-кеуекті тозан-газ тұтқыштарды әзірлеу.....	5
<i>Ермағамбет Б.Т., Қазанқанова М.Қ., Ермағамбетов Ж.Х., Наурызбаева А.Т., Канағатов К.Г., Абылғазина Л.Д.</i> Көміртектегі наноталшықтарды таскөмір пегінен алу әдістері.....	9
<i>Жатқанбаев А.А.</i> Ақпаратты стегеографиялық қорғаудың және аутентификация тиімді схемасы максималды ағынды табудың алгоритмдері негізінде.....	17
<i>Ахметов Б.</i> Қазақстан көлігінің ақпараттық-коммуникациялық жүйелерінің киберқауіпсіздігінің күйі, болашағы және негізгі бағыттары.....	23
<i>Казенова А.О., Бренер А.М., Голубев В.Г., Кенжалиева Г.Д., Шапалов Ш.К., Бекаулова А.А.</i> Кластерлеу немесе агрегаттаумен технологиялық жүйелердің математикалық модельдерін талдау.....	31
<i>Құралбаев З. Қ.</i> Тұтқырлы қабаттың материалдарының қырат баурайына төмен түсуі туралы есепті шешу.....	36
<i>Нұртай Ж.Т., Наукенова А.С., Досалиев Қ.С., Жорабек А.А., Шапалов Ш.К.</i> Селден қорғайтын қорғаныс құрылымдары үшін бастапқы шикізаттарды таңдау	43
<i>Тәтенов А.М., Жүнісбекова А.С.</i> Толқындық оптика құбылыстарының математикалық байланыстар алгоритмін Flash-CC, Java script-бағдарлау орталарында интербелсенді виртуалдау.....	47

Аграрлық ғылымдар

(ағылшын тілінде)

<i>Әкімбаев А.Р., Баймұқанов Д.А., Исхан Қ.Ж., Омаров М.М., Әубәкіров Х.А.</i> Әртүрлі түрлі генотиптегі биелердің сүттілігі және сүт құрамы.....	54
<i>Омбаев Ә., Тамаровский М., Даниленко О., Қарымсақов Т.</i> Етті бағыттағы мал шаруашылығындағы селекциялық – асылдандыру жұмысының кейбір қырлары.....	63

Қоғамдық ғылымдар

(ағылшын тілінде)

<i>Закирова М. С., Алан Р.</i> ЕУРАЗЭҚ-тың қалыптасуы мен дамуының негізгі үрдістері: интеграциялану мәселелері мен болашағы.....	68
<i>Есенбекова Ә. Б., Роберт Алан.</i> Жасыл экономика тұрақты дамудың жаңа бағыты ретінде.....	72
<i>Шалкибаева. Ж.А., Утеев Б. Ж.</i> Аймақтардың салықтық әлеуетін бағалаудың әдістемелік құралдары.....	79
<i>Ахметжанов Б., Тәжібекова К.Б., Шаметова А.А.</i> Елдің инновациялық экономикасы: проблемалары және олардың шешімдерінің жолдары.....	86
<i>Ахметова А.С., Рахимбекова А.Е., Болтаева А.А., Махатова А.Б.,</i> Экологиялық менеджменттің жауапкершілікті бизнесті басқару жолы.....	90
<i>Аюпова З.К., Құсайынов Д.Ө.</i> Интеграциялық процесстердің орталық Азия елдерінің құқықтық жүйесіне тигізетін әсерлері.....	96
<i>Байкин А.К., Шалболова Е.Ж., Тарануха Ю.В.</i> Дивидификация инновациялық секторларды дамыту факторы.....	102
<i>Ескалиева А.Ж., Әдиетова Е.М., Рахимова С.А.</i> Экономиканы жаңғырту жағдайында адам капиталы.....	108
<i>Исаева Б.К., Тлесова Э.Б., Азатбек Т.А.</i> Шетелдік мұнай компанияларының кадрлық әлеуетінің инновациялық даму ерекшеліктері және олардың тәжірибесін Қазақстанда пайдалану.....	112
<i>Кемел М., Бакирбекова А.М., Таштанова Н.Н.</i> Қазақстандық компаниялардың басқару жүйесіндегі корпоративтік әлеуметтік жауапкершілік	121
<i>Мукушева Г.К., Ондашова А.Ж.</i> Токсикалық металдардың ион және тиістік металдардың тоқтатуға арналған золотель және читосанға негізді тыйымдар.....	127
<i>Ламбекова А.Н., Нурғалиева А.М.</i> Екінші деңгейлі банктердің ішкі аудитінде ақпараттық технологиялы қолдану қажеттілігі	131
<i>Сабирова Р.К., Кирдасинова К.А., Дингазиева М.Д., Жұмағұлова М.М., Лұқпанова М.А.</i> Кәсіпорындағы жұмысшылардың компаниясы жүйесін жетілді.....	135
<i>Саябаев К.М., Абдрахманова Р.С., Дошан А.С., Мукашева Г.М.</i> Ақмолының айылық саласындағы ұрақты дамудың әдістемесіне әдістемелік бағыттар METHODOLOGICAL.....	139
<i>Умирзаков С.Ы., Наурызбаев А.Ж., Бұхарбаева А.Ж.</i> Күрішөндірісін мемлекеттік қолдау тиімділігін арттыру – Қазақстанның агроөнеркәсіптік кешенінің даму стратегиясының негізі.....	144

<i>Хуаныш Л.</i> Кәсіпорын басқару жүйесінің ішкі бақылауының рөлі.....	153
<i>Жумабаев А.К., Магай Т.П., Пол Мартин.</i> Қазақстанның сүт өнеркәсібі тиімді бизнес үлгісін іздеуде.....	159

Техникалық ғылымдар

(орыс тілінде)

<i>Генбач А.А., Шоколаков К.К.</i> Көбік өндіретін және көбік сөндіретін құрылымдармен бүркігішсіз капиллярлы-кеуекті тозаң-газ тұтқыштарды әзірлеу.....	167
--	-----

Аграрлық ғылымдар

(орыс тілінде)

<i>Әкімбаев А.Р., Баймұқанов Д.А., Исхан Қ.Ж., Омаров М.М., Әубәкіров Х.А.</i> Әртүрлі түрлі генотиптегі биелердің сүттілігі және сүт құрамы.....	172
<i>Омбаев Ә., Тамаровский М., Даниленко О., Қарымсақов Т.</i> Етті бағыттағы мал шаруашылығындағы селекциялық – асылдандыру жұмысының кейбір қырлары.....	181

Қоғамдық ғылымдар

(орыс тілінде)

<i>Жумабаев А.К., Магай Т.П., Пол Мартин.</i> Қазақстанның сүт өнеркәсібі тиімді бизнес үлгісін іздеуде.....	186
<i>Шалкибаева. Ж.А., Утеев Б. Ж.</i> Аймақтардың салықтық әлеуетін бағалаудың әдістемелік құралдары.....	195

СОДЕРЖАНИЕ

Технические науки

(на английском языке)

<i>Генбач А.А., Шоколаков К.К.</i> Разработка безфорсуночных капиллярно-пористых пылегазоуловителей с пеногенерирующими и пеногасящими структурами.....	5
<i>Ермагамбет Б.Т., Казанкапова М.К., Ермогамбетов Ж.Х., Наурызбаева А.Т., Канагатов К.Г., Абылгазина Л.Д.</i> Методы получения углеродных нановолокон из каменноугольного ПЕКА.....	9
<i>Жатқанбаев А.А.</i> Эффективная схема стеганографической защиты информации и аутентификации на основе алгоритмов нахождения максимального потока	17
<i>Ахметов Б.</i> Состояние, перспективы и основные направления развития кибербезопасности информационно-коммуникационных систем транспорта Казахстана.....	23
<i>Казенова А.О., Бренер А.М., Голубев В.Г., Кенжалиева Г.Д., Шапалов Ш.К., Бекаулова А.А.</i> Анализ математических моделей технологических систем с кластеризацией или агрегацией.....	31
<i>Куралбаев З. К.</i> Решение задачи об опускании материалов вязкого слоя по склону возвышенности	36
<i>Нуртай Ж.Т., Наукенова А.С., Досалиев К.С., Жорабек А.А., Шапалов Ш.К.</i> Подбор исходных шихтовых материалов для селезащитных конструкций	43
<i>Татенов А.М., Жунибекова А.С.</i> Интерактивная виртуализация в среде Flash-CC, Java script алгоритмов математических связей явления волновой оптики.....	47

Аграрные науки

(на английском языке)

<i>Акимбеков А.Р., Баймуканов Д.А., Исхан К.Ж., Омаров М.М., Аубакиров Х.А.</i> Молочная продуктивность и состав молока кобыл разных генотипов.....	54
<i>Омбаев А., Тамаровский М., Даниленко О., Карымсаков Т.</i> Некоторые аспекты селекционно-племенной работы в мясном скотоводстве	63

Общественные науки

(на английском языке)

<i>Закирова М.С., Алан Р.</i> Основные тенденции образования и развития ЕВРАЗЭС: проблемы и перспективы интеграции.....	68
<i>Есенбекова А.Б., Роберт Алан.</i> Зеленая экономика как новый путь устойчивого развития.....	72
<i>Шалжибаева Ж.А., Утеев Б. Ж.</i> Методический инструментарий оценки налогового потенциала региона.....	79
<i>Ахметжанов Б., Тажибекова К.Б., Шаметова А.А.</i> Инновационная экономика страны: проблемы и пути их решения.....	86
<i>Ахметова А.С., Рахимбекова А.Е., Болтаева А.А., Махатова А.Б.</i> Экологический менеджмент как путь к ответственному ведению бизнеса	90
<i>Аюпова З.К., Кусаинов Д.У.</i> Влияние интеграционных процессов на развитие правовых систем стран Центральной Азии.....	96
<i>Байкин А.К., Шальболова Ю.Ж., Тарануха Ю.В.</i> Диверсификация как фактор в развитии инновационных секторов экономики.....	102
<i>Ескалиева А.Ж., Адиева Э.М., Рахимова С.А.</i> Человеческий капитал в условиях модернизации экономики.....	108
<i>Исаева Б.К., Глесова Э.Б., Азатбек Т.А.</i> Особенности инновационного развития кадрового потенциала зарубежных нефтяных компаний и применения их опыта в Казахстане.....	112
<i>Кемел М., Бакирбекова А.М., Таитанова Н.Н.</i> Корпоративная социальная ответственность в системе управления казахстанских компаний	121
<i>Мукушева Г.К., Ондашова А.Ж.</i> Сорбционные материалы на основе цеолита и хитозана для обезвреживания ионов токсичных металлов.....	127
<i>Ламбекова А.Н., Нургалиева А.М.</i> Необходимость применения информационных технологий во внутреннем аудите в банках второго уровня.....	131
<i>Сабирова Р.К., Кирдасинова К.А., Дингазиева М.Д., Жумагулова М.М., Луқпанова М.А.</i> Совершенствование системы вознаграждения работников на предприятии.....	135
<i>Саябаев К.М., Абдрахманова Р.С., Дошан А.С., Мукашева Г.М.</i> Методические подходы к оценке устойчивого развития сельских территорий акмолинской области.....	139
<i>Умирзаков С.Ы., Наурызбаев А.Ж., Бұхарбаева А.Ж.</i> Повышение эффективности государственной поддержки рисоводства – основа стратегии развития агропромышленного комплекса Казахстана.....	144

<i>Хуаныш Л.</i> Роль внутреннего контроля в системе управления предприятием.....	153
<i>Жумабаев А.К., Магай Т.П., Пол Мартин.</i> Молочная отрасль Казахстана в поиске эффективной бизнес модели....	159
Технические науки (на русском языке)	
<i>Генбач А.А., Шоколаков К.К.</i> Разработка безфорсуночных капиллярно-пористых пылегазоуловителей с пеногенерирующими и пеногасящими структурами.....	167
Аграрные науки (на русском языке)	
<i>Акимбеков А.Р., Баймуканов Д.А., Исхан К.Ж., Омаров М.М., Аубакиров Х.А.</i> Молочная продуктивность и состав молока кобыл разных генотипов.....	172
<i>Омбаев А., Тамаровский М., Даниленко О., Карымсаков Т.</i> Некоторые аспекты селекционно-племенной работы в мясном скотоводстве	181
Общественные науки (на русском языке)	
<i>Жумабаев А.К., Магай Т.П., Пол Мартин.</i> Молочная отрасль Казахстана в поиске эффективной бизнес модели.....	186
<i>Шалжибаева Ж.А., Утеев Б. Ж.</i> Методический инструментарий оценки налогового потенциала региона.....	195

CONTENTS
Technical sciences

(in English)

<i>Genbach A.A., Skokolakov K.K.</i> Development of nozzle-free capillary porous dust-and-gas collectors with foam generating and defoaming structures.....	5
<i>Ermagambet B.T., Kazankapova M.K., Ermogambetov Zh.Kh., Nauryzbayeva A.T., Kanagatov K.G., Abylgazina L.D.</i> Methods for producing carbon nanofibers from coal pitch.....	9
<i>Zhatkanbayev A.A.</i> Effective scheme of steganography information protection and authentication based on maximum flow algorithms	17
<i>Akhetov B.</i> Status, perspectives and main directions of the development of cybersecurity of information and communication transport systems of Kazakhstan.....	23
<i>Kazenova A., Brener A., Golubev V., Kenzhalieva G., Shapalov Sh., Bekaulova A.A.</i> Analysis of mathematical models of technological systems with clustering or aggregation.....	31
<i>Kuralbayev Z. K.</i> Solution of the problem of lowering of materials of viscous layer down the hillslope.....	36
<i>Nurtay Zh.T., Naukenova A.S., Dosaliyev K.S., Zhorabek A.A., Shapalov Sh.K.</i> Selection of initial charge materials for mud protection structures	43
<i>Tatenov A.M., Zhunisbekova A.S.</i> Interactive virtualization in the environment of flash-cc, java script of algorithms of mathematical communications the phenomenon of wave optics.....	47

Agrarian science

(in English)

<i>Akimbekov A.R., Baimukanov D.A., Iskhan K.Zh., Omarov M.M., Aubakirov Kh.A.</i> Dairy productivity and milk composition of mares of different genotypes.....	54
<i>Ombaev A., Tamarovsky M., Danilenko O., Karymsakov T.</i> Some aspects of selection-breeding work in meat cattle breeding.....	63

Social Sciences

(in English)

<i>Zakirova M.S., Alan R.</i> The main tendencies of the creation and development of eurasian economic UNION: problems and prospects of integration.....	68
<i>Esenbekova A.B., Robert Alan.</i> Green economy as the new way of sustainable development.....	72
<i>Shalkibayeva Zh. A., Uteyev B.Zh.</i> Methodical toolkit of regional tax potential assesment.....	79
<i>Akhmetzhanov B., Tazhibekova KB, Shametova A.A.</i> Innovative economy of the country: problems and the ways of their solutions.....	86
<i>Akhetova A., Rakhimbekova A., Boltayeva A., Makhatova A.</i> Ecological management as the way to responsible business operation.....	90
<i>Ayupova Z.K., Kussainov D.U.</i> Influence of integration processes on the development of the legal systems of the central Asia countries	96
<i>Baikin A.K., Shalbolova Y.Zh., Taranukha Y.V.</i> Diversification as a factor in the development of innovative sectors.....	102
<i>Eskalieva A.Zh., Adietova E.M., Rakhimova S.A.</i> Human capital in the conditions of modernization of economics.....	108
<i>Issayeva B.K., Tlessova E.B., Azatbek T.A.</i> Peculiarities of innovative development of the personnel potential of foreign oil companies and application of their experience in Kazakhstan.....	112
<i>Kemel M., Tashtanova N.N., Bakirbekova A.M.</i> Corporate social responsibility in management systems of Kazakhstan companies	121
<i>Mukusheva G.K., Ondashova A.Zh.</i> Sorption materials based on zeolite and chitosane for the discharge of ions of toxic metals.....	127
<i>Lambekova A.N., Nurgaliyeva A.M.</i> Need of using of information technology in inner audit in the banks of the second level.....	131
<i>Sabirova R.K., Kirdasinova K.A., Dingazieva M.D., Zhumalova M.M., Lukpanova M.A.</i> Improvement of the compensation system for employees at the enterprise.....	135
<i>Sayabayev K.M.¹, Abdrakhmanova R.S.², Doshan A.S.³, Mukasheva G.M.</i> Approaches to estimation of sustainable development of rural areas of akmolin area.....	139
<i>Umirzakov S. I., Nauryzbayev A. Zh., Bukharbayeva A. Zh.</i> Improving efficiency of the state support of rice planting – baseline for the strategy of agro-industrial complex development in Kazakhstan.....	144
<i>Huanysh L.</i> Place of the internal control in management system and the form of its organization.....	153

<i>Zhumabayev A.K., Magay T.P.¹, Pohl Martin.</i> The search for the efficient business model for the dairy sector in Kazakhstan.....	159
--	-----

Technical sciences

(in Russian)

<i>Genbach A.A., Skokolakov K.K.</i> Development of nozzle-free capillary porous dust-and-gas collectors with foam generating and defoaming structures.....	167
---	-----

Agrarian science

(in Russian)

<i>Akimbekov A.R., Baimukanov D.A., Iskhan K.Zh., Omarov M.M., Aubakirov Kh.A.</i> Dairy productivity and milk composition of mares of different genotypes.....	172
---	-----

<i>Ombaev A., Tamarovsky M., Danilenko O., Karymsakov T.</i> Some aspects of selection-breeding work in meat cattle breeding.....	181
---	-----

Social Sciences

(in Russian)

<i>Zhumabayev A.K., Magay T.P.¹, Pohl Martin.</i> The search for the efficient business model for the dairy sector in Kazakhstan.....	186
--	-----

<i>Shalkibayeva Zh. A., Uteyev B.Zh.</i> Methodical toolkit of regional tax potential assessment.....	195
---	-----

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-1483 (Online), ISSN 2224-5227 (Print)

<http://www.reports-science.kz/index.php/ru/>

Редакторы *М. С. Ахметова, Т.А. Апендиев, Аленов Д.С.*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 13.04.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
12,6 п.л. Тираж 500. Заказ 2.