

ISSN 2224-5227

2016 • 2

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
БАЯНДАМАЛАРЫ

ДОКЛАДЫ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

REPORTS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ЖУРНАЛ 1944 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1944 г.
PUBLISHED SINCE 1944



Бас редактор
ҚР ҰҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

хим.ғ. докторы, проф., ҚР ҰҒА академигі **Әдекенов С.М.** (бас редактордың орынбасары), эк.ғ. докторы, проф., ҚР ҰҒА академигі **Әділов Ж.М.**, мед. ғ. докторы, проф., ҚР ҰҒА академигі **Арзықұлов Ж.А.**, техн. ғ. докторы, проф., ҚР ҰҒА академигі **Бишімбаев У.К.**, а.-ш.ғ. докторы, проф., ҚР ҰҒА академигі **Есполов Т.И.**, техн. ғ. докторы, проф., ҚР ҰҒА академигі **Мұтанов Г.М.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Өтелбаев М.О.**, пед. ғ. докторы, проф., ҚР ҰҒА академигі **Пралиев С.Ж.**, геогр.ғ. докторы, проф., ҚР ҰҒА академигі **Северский И.В.**; тарих.ғ. докторы, проф., ҚР ҰҒА академигі **Сыдықов Е.Б.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Тәкібаев Н.Ж.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Харин С.Н.**, тарих ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Әбүсейітова М.Х.**, экон. ғ. докторы, проф., ҰҒА корр. мүшесі **Бейсембетов И.К.**, биол. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Жамбакин К.Ж.**, тарих ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Кәрібаев Б.Б.**, мед. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Локшин В.Н.**, геол.-мин. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Өмірсеріков М.Ш.**, физ.-мат. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Рамазанов Т.С.**, физ.-мат. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Садыбеков М.А.**, хим.ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Сатаев М.И.**; ҚР ҰҒА құрметті мүшесі, а.-ш.ғ. докторы, проф. **Омбаев А.М.**

Редакция кеңесі:

Украинаның ҰҒА академигі **Гончарук В.В.** (Украина), Украинаның ҰҒА академигі **Неклюдов И.М.** (Украина), Беларусь Республикасының ҰҒА академигі **Гордиенко А.И.** (Беларусь), Молдова Республикасының ҰҒА академигі **Дука Г.** (Молдова), Тәжікстан Республикасының ҰҒА академигі **Илолов М.И.** (Тәжікстан), Қырғыз Республикасының ҰҒА академигі **Эркебаев А.Э.** (Қырғызстан), Ресей ҒА корр. мүшесі **Величкин В.И.** (Ресей Федерациясы); хим.ғ. докторы, профессор **Марек Сикорски** (Польша), тех.ғ. докторы, профессор **Потапов В.А.** (Украина), биол.ғ. докторы, профессор **Харун Парлар** (Германия), профессор **Гао Энджун** (КХР), филос. ғ. докторы, профессор **Стефано Перни** (Ұлыбритания), ғ. докторы, профессор **Богуслава Леска** (Польша), философия ғ. докторы, профессор **Полина Прокопович** (Ұлыбритания), профессор **Вуйцик Вольдемар** (Польша), профессор **Нур Изура Уздир** (Малайзия), д.х.н., профессор **Нараев В.Н.** (Ресей Федерациясы)

Главный редактор
академик НАН РК **М.Ж. Журинов**

Редакционная коллегия:

доктор хим. наук, проф., академик НАН РК **С.М. Адекенов** (заместитель главного редактора), доктор экон. наук, проф., академик НАН РК **Ж.М. Адилов**, доктор мед. наук, проф., академик НАН РК **Ж.А. Арзыкулов**, доктор техн. наук, проф., академик НАН РК **В.К. Бишимбаев**, доктор сельскохоз. наук, проф., академик НАН РК **Т.И. Есполов**, доктор техн. наук, проф., академик НАН РК **Г.М. Мутанов**, доктор физ.-мат. наук, проф., академик НАН РК **М.О. Отелбаев**, доктор пед. наук, проф., академик НАН РК **С.Ж. Пралиев**, доктор геогр. наук, проф., академик НАН РК **И.В. Северский**, доктор ист. наук, проф., академик НАН РК **Е.Б. Сыдыков**, доктор физ.-мат. наук, проф., академик НАН РК **Н.Ж. Такибаев**, доктор физ.-мат. наук, проф., академик НАН РК **С.Н. Харин**, доктор ист. наук, проф., чл.-корр. НАН РК **М.Х. Абусейтова**, доктор экон. наук, проф., чл.-корр. НАН РК **И.К. Бейсембетов**, доктор биол. наук, проф., чл.-корр. НАН РК **К.Ж. Жамбакин**, доктор ист. наук, проф., чл.-корр. НАН РК **Б.Б. Карибаев**, доктор мед. наук, проф., чл.-корр. НАН РК **В.Н. Локшин**, доктор геол.-мин. наук, проф., чл.-корр. НАН РК **М.Ш. Омирсериков**, доктор физ.-мат. наук, проф., чл.-корр. НАН РК **Т.С. Рамазанов**, доктор физ.-мат. наук, проф., чл.-корр. НАН РК **М.А. Садыбеков**, доктор хим. наук, проф., чл.-корр. НАН РК **М.И. Сатаев**; почетный член НАН РК, доктор сельскохоз. наук, проф., **А.М. Омбаев**

Редакционный совет:

академик НАН Украины **Гончарук В.В.** (Украина), академик НАН Украины **И.М. Неклюдов** (Украина), академик НАН Республики Беларусь **А.И.Гордиенко** (Беларусь), академик НАН Республики Молдова **Г. Дука** (Молдова), академик НАН Республики Таджикистан **М.И. Илолов** (Таджикистан), член-корреспондент РАН **Величкин В.И.** (Россия); академик НАН Кыргызской Республики **А.Э. Эркебаев** (Кыргызстан), д.х.н., профессор **Марек Сикорски** (Польша), д.т.н., профессор **В.А. Потапов** (Украина), д.б.н., профессор **Харун Парлар** (Германия), профессор **Гао Энджун** (КНР), доктор философии, профессор **Стефано Перни** (Великобритания), доктор наук, профессор **Богуслава Леска** (Польша), доктор философии, профессор **Полина Прокопович** (Великобритания), профессор **Вуйцик Вольдемар** (Польша), профессор **Нур Изура Удзир** (Малайзия), д.х.н., профессор **В.Н. Нараев** (Россия)

«Доклады Национальной академии наук Республики Казахстан» ISSN 2224-5227

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5540-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год. Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 218-220, тел. 272-13-19, 272-13-18

<http://nauka-nanrk.kz> reports-science.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

©Национальная академия наук Республики Казахстан, 2016 г.

E d i t o r - i n - c h i e f

M.Zh. Zhurinov, academician of NAS RK

Editorial board:

S.M. Adekenov (deputy editor in chief), Doctor of Chemistry, prof., academician of NAS RK; **Zh.M. Adilov**, Doctor of Economics, prof., academician of NAS RK; **Zh.A. Arzykulov**, Doctor of Medicine, prof., academician of NAS RK; **V.K. Bishimbayev**, Doctor of Engineering, prof., academician of NAS RK; **T.I. Yespolov**, Doctor of Agriculture, prof., academician of NAS RK; **G.M. Mutanov**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **M.O. Otelbayev**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **S.Zh. Praliyev**, Doctor of Education, prof., academician of NAS RK; **I.V. Seversky**, Doctor of Geography, prof., academician of NAS RK; **Ye.B. Sydykov**, Doctor of Historical Sciences, prof., academician of NAS RK; **N.Zh. Takibayev**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **S.N. Kharin**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **M.Kh. Abuseitova**, Doctor of Historical Sciences, prof., corr. member of NAS RK; **I.K. Beisembetov**, Doctor of Economics, prof., corr. member of NAS RK; **K.Zh. Zhambakin**, Doctor of Biological Sciences, prof., corr. member of NAS RK; **B.B. Karibayev**, Doctor of Historical Sciences, prof., corr. member of NAS RK; **V.N. Lokshin**, Doctor of Medicine, prof., corr. member of NAS RK; **M.Sh. Omirserikov**, Doctor of Geology and Mineralogy, prof., corr. member of NAS RK; **T.S. Ramazanov**, Doctor of Physics and Mathematics, prof., corr. member of NAS RK; **M.A. Sadybekov**, Doctor of Physics and Mathematics, prof., corr. member of NAS RK; **M.I. Satayev**, Doctor of Chemistry, prof., corr. member of NAS RK; **A.M. Ombayev**, Honorary Member of NAS RK, Doctor of Agriculture, prof.

Editorial staff:

V.V. Goncharuk, NAS Ukraine academician (Ukraine); **I.M. Neklyudov**, NAS Ukraine academician (Ukraine); **A.I. Gordienko**, NAS RB academician (Belarus); **G. Duca**, NAS Moldova academician (Moldova); **M.I. Iolov**, NAS Tajikistan academician (Tajikistan); **A.E. Erkebayev**, NAS Kyrgyzstan academician (Kyrgyzstan); **V.I. Velichkin**, RAS corr.member (Russia); **Marek Sikorski**, Doctor of Chemistry, prof. (Poland); **V.A. Potapov**, Doctor of Engineering, prof. (Ukraine); **Harun Parlar**, Doctor of Biological Sciences, prof. (Germany); **Gao Endzhun**, prof. (PRC); **Stefano Perni**, Doctor of Philosophy, prof. (UK); **Boguslava Leska**, dr, prof. (Poland); **Pauline Prokopovich**, Doctor of Philosophy, prof. (UK); **Wójcik Waldemar**, prof. (Poland), **Nur Izura Udzir**, prof. (Malaysia), **V.N. Narayev**, Doctor of Chemistry, prof. (Russia)

Reports of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2224-5227

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5540-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of.219-220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://nauka-nanrk.kz/> reports-science.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

© National Academy of Sciences of the Republic of Kazakhstan, 2016

**REPORTS OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN**

ISSN 2224-5227

Volume 2, Number 306 (2016), 5 – 9

D. Suragan

Institute of Mathematics and Mathematical Modeling, Almaty, Kazakhstan.
E-mail: suragan@list.ru

ON AN INEQUALITY FOR SCHATTEN p -NORMS

Abstract. In this note, we prove an abstract inequality for Schatten p -norm of compact operators. Our result gives an answer to B. Simon's conjecture on Schatten p -norm domination of integral operators in terms of completely monotonic functions.

Keywords: singular values, Schatten classes, Simon's conjecture.

Introduction. Let H be a separable Hilbert space. We denote the class of compact operators $P: H \rightarrow H$ by $S^\infty(H)$. Recall that the singular values $\{s_n\}$ of $P \in S^\infty(H)$ are the eigenvalues of the positive operator $(P^*P)^{1/2}$ (see e.g. Gohberg and Krein [7]). The Schatten p -classes are defined as

$$S^p(H) := \{P \in S^\infty(H) : \{s_n\} \in \ell^p\}, \quad 1 \leq p < \infty.$$

In $S^p(H)$ the Schatten p -norm of the operator P is defined as

$$\|P\|_p := \left(\sum_{n=1}^{\infty} s_n^p \right)^{\frac{1}{p}}, \quad 1 \leq p < \infty. \quad (1.1)$$

For $p = \infty$, we can set

$$\|P\|_\infty := \|P\|$$

to be the operator norm of P on H . In B. Simon's Trace ideals and their applications book (p. 24, [17]), there are formulated two conjectures related to Schatten p -norm dominations. In Theorem 2.13 ([17], the first edition of the book was published in 1979) it is shown that the abstract notion of domination implies the Schatten p -norms of even integer order satisfy a domination inequality. And the first conjecture was that Theorem 2.13 is valid for not only even integer order, but also it is valid for all Schatten p -norms. However, Peller [18] has shown, using Hankel operators, that this conjecture is wrong; see Addendum E in the book [17]. Our main result (2.1) gives an answer to B. Simon's second conjecture on Schatten p -norm domination of integral operators in terms of completely monotonic functions.

B. Simon's conjecture: *If f^* is the symmetric decreasing rearrangement of f , then for $p \geq 2$, the Schatten p -norm of the operator with kernel $f^*(x-y)g^*(y)$ dominates the Schatten p -norm of the one with kernel $f(x-y)g(y)$.*

The positivity of a certain inverse Laplace transform and properties of completely monotonic functions play a key role in our proof. A function F is said to be completely monotonic in $(0, \infty)$, if F has derivatives of all orders and satisfies

$$(-1)^k F^{(k)}(\zeta) \geq 0, \quad k = 0, 1, 2, \dots, \quad (1.2)$$

for all $\zeta > 0$. If the function F can be extended to be continuous at $\zeta = 0$ it is said to be completely monotonic in $[0, \infty)$. The definition of a completely monotonic function was introduced by F. Hausdorff [8]. In his work these functions was called as 'total monotonic' functions. Later Bernstein proved (Bernstein's theorem) that F is completely monotonic if and only it has the representation

$$F(\zeta) = \int_0^{\infty} e^{-\zeta t} d\mu(t),$$

where $\mu(t)$ is a nonnegative measure on $[0, \infty)$ such that the integral converges for all $\zeta > 0$. Dubourdieu [5] proved that if a completely monotonic function F is not a constant then strict inequality holds in (1.2). For more discussions on completely monotonic functions we refer [6] and references therein.

In Section (2) we present the main result of this paper. Its proof will be given in Section (3).

Main result and examples. As outlined in the introduction, let H be a separable Hilbert space. Let A, B operators belong to the Schatten class $S^q(H)$. Define the function

$$F_{AB}(\zeta) := \sum_{j=1}^{\infty} \frac{1}{\mu_j^{q-1}(A)(\mu_j(A) + \zeta)} - \frac{1}{\mu_j^{q-1}(B)(\mu_j(B) + \zeta)}, \quad \zeta \geq 0,$$

where $\mu_j(A)$ and $\mu_j(B)$ are the inverses of the j th singular values of operators A and B , respectively. Clearly, the function F_{AB} is analytic in $[0, \infty)$.

Theorem 2.1. *Let $A, B \in S^q(H)$. If the function F_{AB} is completely monotonic in $[0, \infty)$, then*

$$\|A\|_p \geq \|B\|_p \tag{2.1}$$

for all $p \geq q$.

Let us take

$$Au := \int_{R^d} f(x-y)g(y)u(y)dy,$$

$$Bu := \int_{R^d} f^*(x-y)g^*(y)u(y)dy.$$

Then from Theorem 2.1 we see that B. Simon's conjecture is correct for any Schatten p -class if the corresponding F_{AB} function is completely monotonic. Obviously, an essential question is: How can we check that the function F_{AB} is completely monotonic? An answer depends on the formula of F_{AB} . One may use Bernstein's theorem as we mentioned in the introduction. However, this theorem is not always applicable. Therefore, one might choose other methods (cf. [11]). Let f be strictly symmetric decreasing function, that is, the function $f(|x|)$ is a real, positive and decreasing, i.e. that the function $f : [0, \infty] \rightarrow R$ satisfies

$$f(\rho) > 0 \quad \text{for any } \rho \geq 0, \tag{2.2}$$

and

$$f(\rho_1) > f(\rho_2) \quad \text{if } \rho_1 < \rho_2, \tag{2.3}$$

let g be a characteristic function of Euclidean domain $\Omega \subset R^d$ i.e.

$$g(x) = \begin{cases} 1, x \in \Omega, \\ 0, \text{otherwise} \end{cases} \quad (2.4)$$

This implies that f and g do not change their formulae under the symmetric-decreasing rearrangement, see e.g. Lieb and Loss [10]. Therefore, we have

$$Au := \int_{\Omega} f(|x-y|)u(y)dy,$$

$$Bu := \int_{\Omega^*} f(|x-y|)u(y)dy,$$

where Ω^* is the symmetric rearrangement of Ω , that is, Ω^* is a centred ball with $|\Omega^*| = |\Omega|$. Here by $|\Omega|$ we denote the Lebesgue measure of Ω .

If one shows that F_{AB} is completely monotonic, then in this special case B. Simon's conjecture is correct.

Here we give some related examples for further motivations. In a bounded open domain $\Omega \subset R^3$ let us consider the Newton potential on $L^2(\Omega)$ as an example, i.e. let

$$N_{\Omega}f(x) := \int \frac{1}{4\pi|x-y|} f(y)dy, \quad f \in L^2(\Omega), \quad (2.5)$$

where $|x-y|$ is the standard Euclidian distance between x and y . Note that the operator N_{Ω} is the inverse to the Laplacian (see [9]). It is not difficult to show that the Newton potential operator is a Hilbert-Schmidt operator. It can be also followed from the properties of the N_{Ω} operator kernel see e.g. the criteria for Schatten classes in terms of the regularity of the kernel in [4]. We obtain:

Example 2.2 [13] *Let $B \equiv U$ be the unit 3-ball. Then by Theorem (2.1) we have*

$$\|N_{\Omega}\|_p \leq \|N_U\|_p = \left(\sum_{l=0}^{\infty} \sum_{m=1}^{\infty} \frac{2l+1}{j_{l-\frac{1}{2},m}^{2p}} \right)^{\frac{1}{p}}, \quad (2.6)$$

for any integer $2 \leq p < \infty$ and any bounded open domain Ω with $|\Omega| = |U|$. Here j_{km} denotes the m^{th} positive zero of the Bessel function J_k of the first kind of order k .

Example 2.3 [13] *Let $B \equiv U$ be the unit 3-ball. In particular, for the Hilbert-Schmidt norm we have*

$$\|N_{\Omega}\|_2 \leq \|N_U\|_2 = \sqrt{\frac{7}{48}}, \quad (2.7)$$

for any bounded open domain Ω with $|\Omega| = |U|$.

The above examples justify the constants for the Newton potential that were also announced in [15]. We omit the routine technical calculation.

Lemma 3.1. *If the function F_{AB} is completely monotonic in $[0, \infty)$, then*

$$\sum_{j=1}^{\infty} \frac{e^{-\mu_j(A)t}}{\mu_j^{p-1}(A)} \geq \sum_{j=1}^{\infty} \frac{e^{-\mu_j(B)t}}{\mu_j^{p-1}(B)}, \quad \forall t > 0, \quad (3.1)$$

for any $p \geq q$.

Proof of Lemma (3.1). Since F_{AB} is completely monotonic it is non-negative, that is,

$$\sum_{j=1}^{\infty} \frac{1}{\mu_j^{q-1}(A)(\mu_j(A) + \zeta)} \geq \sum_{j=1}^{\infty} \frac{1}{\mu_j^{q-1}(B)(\mu_j(B) + \zeta)} \quad (3.2)$$

for all $\zeta \geq 0$.

Let L be the Laplace transform

$$L\{f(t)\}(\zeta) = \int_0^{\infty} e^{-\zeta t} f(t) dt.$$

Using the inverse Laplace transform (exponential decay) we have

$$L^{-1}\left\{\frac{1}{\mu_j + \zeta}\right\} = e^{-\mu_j t}, t > 0. \quad (3.3)$$

for $\zeta > -\mu_j$. By applying L^{-1} to both sides of (3.2) we obtain (3.1) (see Lemma (3.3)).

One might have a question concerning the proof of Lemma (3.1), that is, why does the inverse Laplace transform preserve the inequality (3.1)? In other words, why is the inverse Laplace transform of a positive function positive? Of course, this is not true in general. However, for the Laplace transform

$$L\{f(t)\}(\zeta) = \int_0^{\infty} e^{-\zeta t} f(t) dt,$$

the inverse Laplace transform of a positive function is positive for some classes of functions, that is, the following theorem is valid (see Theorem 2.3 in [3]).

Theorem 3.2 [3] *Let f be a continuous function on the interval $[0, \infty)$ which is of exponential order, that is, for some $b \in R$ it satisfies*

$$\sup_{t>0} \frac{|f(t)|}{e^{bt}} < \infty,$$

and let $F = Lf$. Then f is non-negative if and only if

$$(-1)^k F^{(k)}(s) \geq 0 \quad \text{for all } k \geq 0 \text{ and all } s > b. \quad (3.4)$$

In fact this positivity result implies directly from Post's inversion formula [12]

$$f(t) = \lim_{k \rightarrow \infty} \frac{(-1)^k}{k!} \left(\frac{k}{t}\right)^{k+1} F_1^{(k)}\left(\frac{k}{t}\right) \quad (3.5)$$

for $t > 0$. If (3.4) is valid then the expression on the right hand side of (3.5) is non-negative. Therefore, the limit $f(t)$ is necessarily non-negative for all t .

Lemma 3.3 *The inverse Laplace transform preserves the inequality (3.2).*

Proof of Lemma 3.3. In our case we have

$$F(\zeta) = F_{AB}(\zeta) = \sum_{j=1}^{\infty} \frac{1}{|\mu_j(B)|^{p-1} (|\mu_j(B)| + \zeta)} - \sum_{j=1}^{\infty} \frac{1}{|\mu_j(\Omega)|^{p-1} (|\mu_j(\Omega)| + \zeta)}, \zeta \geq 0.$$

To show positivity of $f(t)$ it is sufficient to check the conditions (3.4) for F_{AB} . By definition of a completely monotonic function we have

$$0 \leq (-1)^{(k)} F_{AB}^{(k)}(\zeta), k = 0, 1, 2, \dots,$$

for all $\zeta > 0$, which proves the positivity of f (by Theorem (3.2)), that is, $f(t) \geq 0$ for all $t > 0$.

This confirms that the inverse Laplace transform preserves the inequality (3.2).

Proof of Theorem 2.1. The proof of Theorem 2.1 now follows directly from Lemma 3.1. Applying the Mellin transform

$$\frac{1}{\mu_j^l} = \frac{1}{\Gamma(l)} \int_0^\infty \exp(-\mu_j t) t^{l-1} dt, \quad \text{for any real } l > 1,$$

to the inequality (3.1) leads to

$$\sum_{j=1}^{\infty} \frac{1}{\mu_j^{q-1+l}(A)} \geq \sum_{j=1}^{\infty} \frac{1}{\mu_j^{q-1+l}(B)} \quad (3.6)$$

for any real $l > 1$. Then since l is arbitrary real number > 1 , from (3.6) we obtain

$$\sum_{j=1}^{\infty} \frac{1}{\mu_j^p(A)} \geq \sum_{j=1}^{\infty} \frac{1}{\mu_j^p(B)} \quad (3.7)$$

for any real $p > q$. In addition, from (3.2) when $\zeta = 0$ we get that the inequality is also true when $p = q$. This completes the proof of Theorem 2.1.

REFERENCES

- [1] Brascamp H.J., Lieb E.H., Luttinger J.M. A general rearrangement inequality for multiple integrals. *J. Funct. Anal.*, 17:227-237, 1974.
- [2] Bernstein S.N. Sur les fonctions absolument monotones. *Acta Mathematica*, 52:1-66, 1928.
- [3] Bryan K.M. Elementary inversion of the Laplace transform. Mathematical Sciences Technical Reports (MSTR). Paper 114, 1999. http://scholar.rose-hulman.edu/math_mstr/114.
- [4] Delgado J., Ruzhansky M. Schatten classes on compact manifolds: kernel conditions. *J. Funct. Anal.*, 267(3):772-798, 2014.
- [5] Dubourdieu J. Sur un théorème de M.S. Bernstein relatif à la transformation de Laplace-Stieltjes. *Compositio Math.*, 7:96-111, 1939.
- [6] Grinshpan A.Z., Ismail E.H. Completely monotonic functions involving the gamma and q-gamma functions. *Proc. Amer. Math. Soc.*, 134(4):1153-1160, 2006.
- [7] Gohberg I.C., Krein M.G. *Introduction to the theory of linear nonselfadjoint operators*. Translated from the Russian by A. Feinstein. Translations of Mathematical Monographs, Vol. 18. American Mathematical Society, Providence, R.I., 1969.
- [8] Hausdorff F. Summationionsmethoden und Momentfolden I. *Math. Z.*, 9:74-109, 1921.
- [9] Kal'menov T.Sh., Suragan D. To spectral problems for the volume potential. *Doklady Mathematics*, 80(2):646-649, 2009.
- [10] Lieb E.H., Loss M. *Analysis*, volume 14 of *Graduate Studies in Mathematics*. American Mathematical Society, Providence, RI, second edition, 2001.
- [11] Pollard H. A new criterion for completely monotonic functions. *Trans. Amer. Math. Soc.*, 55(3):457-464, 1944.
- [12] Post E. Generalized Differentiation. *Trans. Amer. Math. Soc.*, 32:723-781, 1930.
- [13] Ruzhansky M., Suragan D. On Schatten norms of intergral operators of convolution type. *to appear in Russian Math. Surveys*, 2016.
- [14] Ruzhansky M., Suragan D. Isoperimetric inequalities for the logarithmic potential operator. *J. Math. Anal. Appl.*, 434(2):1676-1689, 2016.
- [15] Rozenblum G., Ruzhansky M., Suragan D. Isoperimetric inequalities for Schatten norms of Riesz potentials. *arXiv:1506.06355*, 2015.
- [16] Simon B. Analysis with weak trace ideals and the number of bound states of Schrodinger operators. *Trans. Amer. Math. Soc.*, 224(2):367-380, 1976.
- [17] Simon B. *Trace ideals and their applications*, Mathematical Surveys and Monographs, Vol. 120, AMS, 2005.
- [18] Peller V.V. A description of Hankel operators of class σ_p for $p > 0$, an invertigation of the rate of rational approximation, and other applications. *Mat. Sb. (N.S.)*, 122(164):481-510, 1983.

Д. Сураган

ҚР БҒМ Математика және математикалық үлгілеу институты, Алматы, Қазақстан

ШАТТЕН p-НОРМАСЫ ҮШІН БІР ТЕҢСІЗДІК ТУРАЛЫ

Аннотация. Бұл жұмыста Шаттен p-нормасы үшін абстракті теңсіздікті дәлелдедік. Бұл жұмыс Б. Саймонның гипотезасына толықтай монотондық функциялар мағынасындағы интегралдық операторлардың басыңқысын Шаттен p-нормасы үшін жауап береді.

Түйін сөздер: сингулярлық мәндер, Шаттен классы, Саймонның гипотезасы.

Information about author:

Suragan D. – PHD, Institute of Mathematics and Mathematical Modeling, Almaty, Kazakhstan

CONTENTS

<i>Suragan D.</i> On an inequality for Schatten p -norms.....	5
<i>Zhunossova L., Zhunossov K.</i> Iterative methods for solving difference equations.....	10
<i>Omarov B.T., Moldabekov Sh.M., Zhantasov K.T., Oralbai E.N., Altybayev Zh.M., Shapalov Sh., Kadirbayeva A.A., Serikbaev S.M.</i> Influence of coal humic fertilizers on development of agriculture.....	15
<i>Adizbayeva D.Zh., Shoybekova A.Zh.</i> To the question of culturological model of communication of M.M. Bakhtin.....	19
<i>Akshalova B., Zhanadilova Z., Almabayeva G.</i> Nonverbal method of teaching English.....	23
<i>Aliyarova L. M., Makhazhanova L.M.</i> Categories of plurality and quantity.....	27
<i>Anarbayev N.S., Yerzhan K.S., Patteev M.I.</i> Hanafi Scholars Treatise Abul Kasim Al-Faryabi.....	32

**PUBLICATION ETHICS AND PUBLICATION MALPRACTICE
IN THE JOURNALS OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://www.reports-science.kz/index.php/ru/>

Редакторы *М. С. Ахметова, Д. С. Аленов, Т.А. Апендиев*
Верстка на компьютере *С.К. Досаевой*

Подписано в печать 05.04.2016.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.
2,55 п.л. Тираж 2000. Заказ 2.