

ISSN 2224-5227

2016 • 3

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
БАЯНДАМАЛАРЫ

ДОКЛАДЫ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

REPORTS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ЖУРНАЛ 1944 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1944 г.
PUBLISHED SINCE 1944



Бас редактор
ҚР ҰҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

хим.ғ. докторы, проф., ҚР ҰҒА академигі **Әдекенов С.М.** (бас редактордың орынбасары), эк.ғ. докторы, проф., ҚР ҰҒА академигі **Әділов Ж.М.**, мед. ғ. докторы, проф., ҚР ҰҒА академигі **Арзықұлов Ж.А.**, техн. ғ. докторы, проф., ҚР ҰҒА академигі **Бишімбаев У.К.**, а.-ш.ғ. докторы, проф., ҚР ҰҒА академигі **Есполов Т.И.**, техн. ғ. докторы, проф., ҚР ҰҒА академигі **Мұтанов Г.М.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Өтелбаев М.О.**, пед. ғ. докторы, проф., ҚР ҰҒА академигі **Пралиев С.Ж.**, геогр.ғ. докторы, проф., ҚР ҰҒА академигі **Северский И.В.**; тарих.ғ. докторы, проф., ҚР ҰҒА академигі **Сыдықов Е.Б.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Тәкібаев Н.Ж.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Харин С.Н.**, тарих ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Әбүсейітова М.Х.**, экон. ғ. докторы, проф., ҰҒА корр. мүшесі **Бейсембетов И.К.**, биол. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Жамбакин К.Ж.**, тарих ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Кәрібаев Б.Б.**, мед. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Локшин В.Н.**, геол.-мин. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Өмірсеріков М.Ш.**, физ.-мат. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Рамазанов Т.С.**, физ.-мат. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Садыбеков М.А.**, хим.ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Сатаев М.И.**; ҚР ҰҒА құрметті мүшесі, а.-ш.ғ. докторы, проф. **Омбаев А.М.**

Редакция кеңесі:

Украинаның ҰҒА академигі **Гончарук В.В.** (Украина), Украинаның ҰҒА академигі **Неклюдов И.М.** (Украина), Беларусь Республикасының ҰҒА академигі **Гордиенко А.И.** (Беларусь), Молдова Республикасының ҰҒА академигі **Дука Г.** (Молдова), Тәжікстан Республикасының ҰҒА академигі **Илолов М.И.** (Тәжікстан), Қырғыз Республикасының ҰҒА академигі **Эркебаев А.Э.** (Қырғызстан), Ресей ҒА корр. мүшесі **Величкин В.И.** (Ресей Федерациясы); хим.ғ. докторы, профессор **Марек Сикорски** (Польша), тех.ғ. докторы, профессор **Потапов В.А.** (Украина), биол.ғ. докторы, профессор **Харун Парлар** (Германия), профессор **Гао Энджун** (КХР), филос. ғ. докторы, профессор **Стефано Перни** (Ұлыбритания), ғ. докторы, профессор **Богуслава Леска** (Польша), философия ғ. докторы, профессор **Полина Прокопович** (Ұлыбритания), профессор **Вуйцик Вольдемар** (Польша), профессор **Нур Изура Удзир** (Малайзия), д.х.н., профессор **Нараев В.Н.** (Ресей Федерациясы)

Главный редактор
академик НАН РК **М.Ж. Журинов**

Редакционная коллегия:

доктор хим. наук, проф., академик НАН РК **С.М. Адекенов** (заместитель главного редактора), доктор экон. наук, проф., академик НАН РК **Ж.М. Адилов**, доктор мед. наук, проф., академик НАН РК **Ж.А. Арзыкулов**, доктор техн. наук, проф., академик НАН РК **В.К. Бишимбаев**, доктор сельскохозяйств. наук, проф., академик НАН РК **Т.И. Есполов**, доктор техн. наук, проф., академик НАН РК **Г.М. Мутанов**, доктор физ.-мат. наук, проф., академик НАН РК **М.О. Отелбаев**, доктор пед. наук, проф., академик НАН РК **С.Ж. Пралиев**, доктор геогр. наук, проф., академик НАН РК **И.В. Северский**; доктор ист. наук, проф., академик НАН РК **Е.Б. Сыдыков**, доктор физ.-мат. наук, проф., академик НАН РК **Н.Ж. Такибаев**, доктор физ.-мат. наук, проф., академик НАН РК **С.Н. Харин**, доктор ист. наук, проф., чл.-корр. НАН РК **М.Х. Абусейтова**, доктор экон. наук, проф., чл.-корр. НАН РК **И.К. Бейсембетов**, доктор биол. наук, проф., чл.-корр. НАН РК **К.Ж. Жамбакин**, доктор ист. наук, проф., чл.-корр. НАН РК **Б.Б. Карибаев**, доктор мед. наук, проф., чл.-корр. НАН РК **В.Н. Локшин**, доктор геол.-мин. наук, проф., чл.-корр. НАН РК **М.Ш. Омирсериков**, доктор физ.-мат. наук, проф., чл.-корр. НАН РК **Т.С. Рамазанов**, доктор физ.-мат. наук, проф., чл.-корр. НАН РК **М.А. Садыбеков**, доктор хим. наук, проф., чл.-корр. НАН РК **М.И. Сатаев**; почетный член НАН РК, доктор сельскохозяйств. наук, проф., **А.М. Омбаев**

Редакционный совет:

академик НАН Украины **Гончарук В.В.** (Украина), академик НАН Украины **И.М. Неклюдов** (Украина), академик НАН Республики Беларусь **А.И. Гордиенко** (Беларусь), академик НАН Республики Молдова **Г. Дука** (Молдова), академик НАН Республики Таджикистан **М.И. Илолов** (Таджикистан), член-корреспондент РАН **Величкин В.И.** (Россия); академик НАН Кыргызской Республики **А.Э. Эркебаев** (Кыргызстан), д.х.н., профессор **Марек Сикорски** (Польша), д.т.н., профессор **В.А. Потапов** (Украина), д.б.н., профессор **Харун Парлар** (Германия), профессор **Гао Энджун** (КНР), доктор философии, профессор **Стефано Перни** (Великобритания), доктор наук, профессор **Богуслава Леска** (Польша), доктор философии, профессор **Полина Прокопович** (Великобритания), профессор **Вуйцик Вольдемар** (Польша), профессор **Нур Изура Уздир** (Малайзия), д.х.н., профессор **В.Н. Нараев** (Россия)

«Доклады Национальной академии наук Республики Казахстан» ISSN 2224-5227

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5540-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год. Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 218-220, тел. 272-13-19, 272-13-18

<http://nauka-nanrk.kz> reports-science.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

©Национальная академия наук Республики Казахстан, 2016 г.

E d i t o r i n c h i e f

M.Zh. Zhurinov, academician of NAS RK

Editorial board:

S.M. Adekenov (deputy editor in chief), Doctor of Chemistry, prof., academician of NAS RK; **Zh.M. Adilov**, Doctor of Economics, prof., academician of NAS RK; **Zh.A. Arzykulov**, Doctor of Medicine, prof., academician of NAS RK; **V.K. Bishimbayev**, Doctor of Engineering, prof., academician of NAS RK; **T.I. Yespolov**, Doctor of Agriculture, prof., academician of NAS RK; **G.M. Mutanov**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **M.O. Otelbayev**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **S.Zh. Praliyev**, Doctor of Education, prof., academician of NAS RK; **I.V. Seversky**, Doctor of Geography, prof., academician of NAS RK; **Ye.B. Sydykov**, Doctor of Historical Sciences, prof., academician of NAS RK; **N.Zh. Takibayev**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **S.N. Kharin**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **M.Kh. Abuseitova**, Doctor of Historical Sciences, prof., corr. member of NAS RK; **I.K. Beisembetov**, Doctor of Economics, prof., corr. member of NAS RK; **K.Zh. Zhambakin**, Doctor of Biological Sciences, prof., corr. member of NAS RK; **B.B. Karibayev**, Doctor of Historical Sciences, prof., corr. member of NAS RK; **V.N. Lokshin**, Doctor of Medicine, prof., corr. member of NAS RK; **M.Sh. Omirserikov**, Doctor of Geology and Mineralogy, prof., corr. member of NAS RK; **T.S. Ramazanov**, Doctor of Physics and Mathematics, prof., corr. member of NAS RK; **M.A. Sadybekov**, Doctor of Physics and Mathematics, prof., corr. member of NAS RK; **M.I. Satayev**, Doctor of Chemistry, prof., corr. member of NAS RK; **A.M. Ombayev**, Honorary Member of NAS RK, Doctor of Agriculture, prof.

Editorial staff:

V.V. Goncharuk, NAS Ukraine academician (Ukraine); **I.M. Neklyudov**, NAS Ukraine academician (Ukraine); **A.I. Gordienko**, NAS RB academician (Belarus); **G. Duca**, NAS Moldova academician (Moldova); **M.I. Iolov**, NAS Tajikistan academician (Tajikistan); **A.E. Erkebayev**, NAS Kyrgyzstan academician (Kyrgyzstan); **V.I. Velichkin**, RAS corr.member (Russia); **Marek Sikorski**, Doctor of Chemistry, prof. (Poland); **V.A. Potapov**, Doctor of Engineering, prof. (Ukraine); **Harun Parlar**, Doctor of Biological Sciences, prof. (Germany); **Gao Endzhun**, prof. (PRC); **Stefano Perni**, Doctor of Philosophy, prof. (UK); **Boguslava Leska**, dr, prof. (Poland); **Pauline Prokopovich**, Doctor of Philosophy, prof. (UK); **Wójcik Waldemar**, prof. (Poland), **Nur Izura Udzir**, prof. (Malaysia), **V.N. Narayev**, Doctor of Chemistry, prof. (Russia)

Reports of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2224-5227

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5540-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of.219-220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://nauka-nanrk.kz/> reports-science.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

REPORTS OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ISSN 2224-5227

Volume 3, Number 307 (2016), 60 – 64

UDK 541.1+530.145

O. Kh. Poleshchuk¹, E. A. Krasnov², G.M. Adyrbekova³,
M.N. Ermakhanov³, P.A. Saidakhmetov³

¹National Research Tomsk Polytechnic University, 634030 Tomsk, Russia;

²Siberian State Medical University, 634050 Tomsk, Russia;

³M.Auezov South Kazakhstan state University, Shymkent, RK

poleshch@tspu.edu.ru, adyrbekova.gulmira@mail.ru, myrza1964@mail.ru, timpf_ukgu@mail.ru

INVESTIGATION OF MEDIBOROL ON THE BASIS
OF DENSITY FUNCTIONAL THEORY

Abstract. Quantum-chemical calculations of the mediborol in the gas phase and in solution by using the density functional with use all-electron basis set 6-31G(d) on GAUSSIAN'03 and TZ2P+ on Amsterdam density functional program. It is shown that the possibility of the mediborol reaction with iron chloride, the analysis of orbital interactions was carried out. It is provided the thermodynamic impossibility of this reaction.

Keywords: density functional theory, B3LYP/6-31G(d), medioborol, natural orbital communication.

Introduction

In recent years sharply increased the interest in space-hindered phenol (SHP) from the discovery of many aspects of their practical application. One of the most promising low-toxic compounds of this group is a new semi-synthetic antioxidant mediborol (4-methyl-2,6-diizobornil-phenol), which has a pronounced effect on the vascular-platelet hemostasis, neuroprotective (in violation of cerebral circulation) and reticula protective activity and is the basis for the creation of free radical pathologies in neurology and ophthalmology.

The important stage is to study of chemical and physical-chemical properties of mediborol for development of parameters of quality of his substance. Reactive functional groups of mediborol are phenolic hydroxyl and a methyl group.

However, in a number of SHP hydroxyl group, due to its proximity to her bulky substituents, it becomes inactive and does not enter into a specific reaction (with the iron salts, formation of the azo dyes). Therefore, the aim of this work was a quantum-chemical calculation of mediborol molecular structure for the identifying of the reaction ability of this compound.

Mediborol has a white or cream color, microcrystalline powder with a specific odor with T_{mt} 206 – 208°C, has pronounced lipophilic properties: practically insoluble in water, slightly soluble in lower alcohols, esters soluble in benzene, and readily soluble in halogenated hydrocarbons.

UV spectra of the terpenophenols in the range 220 – 320 nm are characterized by short-wavelength maximum near 220 nm and a wide absorption at 280 nm.

UV spectrum of the ethanol solution of mediborol has characteristic SHP two absorption bands - in the area of 210 – 230 nm and 270 – 290 nm, with the analytical value has an absorption maximum at a wavelength of 282 ± 2 nm [1, 2].

The IR spectra of the hydroxyl group of SHP band are a narrow signal is shifted to shorter wavelengths in comparison with unsubstituted phenol.

The observed increase in the frequency of vibrations of OH groups, probably deal with the interaction of the electron clouds of hydroxyl and ortho-substituted groups, what is more, hydroxyl group the frequency depends on the size of the substituents.

For para-substituent, with increasing its electronegativity influencing on the polarization of the O-H bond, take place decreases of the frequency hydroxyl group [3].

An important feature is the lack of bands of the aromatic ring in the range $1510 - 1500 \text{ cm}^{-1}$. Splitting the bands and the intensity ratio of the individual components in the range of characteristic oscillations of the aromatic rings ($1600 - 1450 \text{ cm}^{-1}$) depends on the volume and branching ortho radical. Splitting the bands and the intensity ratio of the individual components in the range of characteristic oscillations of the aromatic rings ($1600 - 1450 \text{ cm}^{-1}$) depends on the volume and branching ortho radical: with an increase volume of radical in intensity of the band at 1600 cm^{-1} decreases, which is clearly manifested in the IR spectrum of mediborol.

Concerning to the interaction mediborol with iron salts, the experimental results indicate the absence of the possibility of such reaction.

Experimental part

The calculations were performed with using a standard software package *GAUSSIAN'03* [4]. For carry out to theoretical studies was used quantum-chemical method of functional density (DFT, Functional Theory). The calculations performed by the hybrid density functional B3LYP, with the exchange functionality Beke (B3) [5] and correlation functional of Lee, Yang and Couple (LYP) [6]. For all atoms used as a fully electronic basis set 6-31G (d), and the SDD pseudopotential for iron atom. Updates designed molecules have been fully optimized, lack of imaginary frequency oscillation confirmed their stationary character Calculations in ethanol solution carried out with the same methods with using polarized continuum model (PCM) [7]. Energy of the calculated compounds adjusted to reflect a zero vibrational energy (ZPVE) and reduced to standard conditions (298,15 K, 1 atm.) with using thermal corrections to the enthalpy and free energy. The optimized geometry was used for calculations as the total energy of the molecules within the software package ADF'2004 (Amsterdam density functional) in the gas phase and the solution by COSMO method [8]. We used the exchange functionality OPTX [9], combined with a correlation functional PBE [10], using a triple- ζ with considering polarization basis set of Slater orbitals.

Results and its discussion

Fairly well, it is known that the quality of any quantum-chemical calculations is determined by agreement between the experimental and calculated molecular parameters. Analysis of calculated structural parameters of mediborol molecules shows that the bond lengths and angles are quite close to the standard values in organic compounds [11] (Fig. 1). The optimization of mediborol geometry by ADF gave similar results for the bond lengths and angles.




Figure 1 - Optimized structure of the mediborol by B3LYP/6-31G(d)

The calculated and experimental values of the spectra of UV wavelengths (λ), IR spectra (ω) and ^{13}C NMR spectra (δ) in ethanol solution of mediborol allowed obtaining correlation ratio between the experimental and calculated parameters. These equations (1-3) show that the calculations performed allow us to evaluate the spectral parameters with sufficient accuracy.

$$\lambda^{\text{exp.}} = 48 + 0.8 \lambda^{\text{cal}} \quad (r = 0.999; s = 1; n = 3) \quad (1)$$

$$\delta^{\text{exp}^{13}\text{C}} = -0,23 + 0,94 \delta^{\text{cal}^{13}\text{C}} \quad (r = 0.999; s = 1.6; n = 14) \quad (2)$$

$$\omega^{\text{exp.}} = -8 + 1,01 \omega^{\text{cal.}} \quad (r = 0.999; s = 10; n = 31) \quad (3)$$

In these and the following regression equations r – is the correlation coefficient, s – standard deviation, and n – number of compounds included in the correlation. The calculation of the chemical shifts in NMR spectrum is carried out by the method GIAO B3LYP/6-311+G(2d,p) for their visualization.

The obtained correlations of the spectral parameters suggest that the calculated structure of mediborol molecules apparently close enough to the real-life.

In addition, [12] it was shown that among the density functional methods (BLYP, B3LYP, PB86, B3P86, BPW91, B3PW91 and SVWN) B3LYP method most accurately predicts thermodynamic parameters with absolute accuracy of 13 kJ/mol. This indicates that we calculated thermodynamic parameters are sufficiently close to the experimental values. Completed earlier by us thermodynamic calculations of a number of organic reactions by the same method resulted in good agreement between the calculated and experimental values [13].

In order to evaluate the possibility of interaction of mediborol with the iron chloride, we calculated the coordination compound mediborol·FeCl₂ by the B3LYP/ SDD (Fig. 2). It turned out that exist chemical bond of the iron atom to the oxygen atom of the phenolic group with a length of 1,58Å, which corresponds to the standard values of such bond [14].




figure 2 - Optimized coordination structure of mediborol·FeCl₂ by B3LYP/SDD

This chemical interaction is confirmed by the views of the highest occupied molecular orbital (HOMO) of the complex of the mediborol·FeCl₂ (Fig. 3a), that includes an aromatic ring and the electrons of Fe-O bonds. The lowest unoccupied molecular orbital (LUMO) consists mainly of FeCl₂ by lone electron pairs of iron and chlorine atoms (pic. 3b). This interaction between the HOMO and LUMO is confirmed by the calculation carried out by natural orbitals bond [15].




Figure 3 - Molecular orbitals of borneol·FeCl₂: B3MO (a), HOMO (b)

Table 1 - Analysis of the binding in the complex borneolFeCl₂

bond	Hybridization			The occupancy, e	The interaction between orbitals	E ₂ , kcal/mol
	% s	% p	%d			
Fe-O	1 2.9	5 .5	81.6	0.981	BD(C-C)→BD*(C-C)	20
LP(Fe)			100	0.990	LP(O)→LP(Fe)*	134
			100	0.988	LP(Cl)→LP(Fe)*	119
			100	0.993	LP(Fe)→LP(Fe-Cl)*	34

This method, in terms of the theory of second-order perturbation, allows estimating the interaction energy between a donor and an acceptor part of the complex with considering bonding orbitals and unshared electron pairs of the atoms.

From tab. 1 can be seen that, along with a few interactions bonding orbitals of the aromatic ring BD(C-C) with nonbonding orbitals BD*(C-C), there are quite significant for the energy of interaction between the unshared electron pairs of oxygen atoms LP(O) and chlorine LP(Cl) with unbinding lone pairs of iron atom. In addition, the analysis showed that the population of the Fe-O bond and unshared electron pairs of the iron atom is close to unity.

Thus, from the point of view of formation of coordination bonds between mediborol and FeCl₂ there are no explicit barriers to this type of interaction and the formation of the azo dye. However, the experimental compound is not formed. To determine the cause of this, we have analyzed the thermodynamic parameters on as the basis of calculations in Gaussian program and the Amsterdam Density Functional. The results are shown in Table 2 in the gas phase and the ethanol solution.

Table 2 - Thermodynamic parameters of mediborol and it's complex

Compound	G (gas), a.e.	G (ethanol), a.e.	E (gas), kcal/mol	E (ethanol), kcal/mol
mediborol	-1119.629	-1119.611	-9181	-8926
FeCl ₂	-1042.022	-1042.113	-282	-208
mediborolFeCl ₂	-2160.972	-2160.978	-9362	-9112
ΔG (ΔE), kcal/mol	426	468	101	12

It was found that large positive values of Gibbs free energy (ΔG) and the total energy of the molecules of the calculation method of ADF (ΔE), both in the gas phase and in the ethanol solution do not allow for interaction between the iron chloride and mediborol due to thermodynamic reasons. It is possible that no formation of complex compound caused significant activation energy of this process.

Conclusions

Using the calculation method B3LYP/6-31G(d) provides adequate results in predicting geometrical parameters, IR, UV and NMR spectra of the mediborol. Spend analysis of orbital bonding of investigate structure in terms of the theory of second-order perturbation was carry out. The possibility of spatial interaction between mediborol and ferric chloride was shown. The thermodynamic parameters were calculated and the impossibility of the complex formation was determined.

REFERENCES

- [1] Krasnov E.A., Nasmutdinova E.E., Ivanov I.S. *Chem.-Pharm.magaz.* **2010**. T.44. 53p.
- [2] Nasmutdinova E.E., Krasnov E.A., Strukova E.Г. *Pharmacy.* **2011**. T.3. 6p.
- [3] Nikiforov G.A., Yershov V.E. *Russian chemical Reviews.* **1970**. T.39. 1368p.
- [4] M.J. Frisch, G.W. Trucks, H.B. Schlegel, P.M.W. Gill, B.G. Johnson, M.A. Robb, J.R. Cheeseman, T. Keith, G.A. Petersson, J.A. Montgomery, K.Raghavachari, M.A. Al-Laham, V. Zakrzewski, J.V. Ortiz, J.B. Foresman, J. Cioslowski, B.B. Stefanov, A. Nanayakkara, M. Challacombe, C.Y. Peng, P.Y. Ayala, W. Chen, N.W. Wong, J.L. Andress, E.S. Replogle, R. Gomperts, R.L. Martin, D.J. Fox, J.S. Binkley, D.J. Defress, J. Baker, J.P. Stewart, Head-Gordon, C. Gonzales, J.A. Pople, GAUSSIAN'03, Version 6.1, Gaussian Inc., Pittsburg, PA, **2004**.
- [5] A.D. Becke. *J Chem. Phys.* **1993**. Vol.98. 5648p.
- [6] C. Peng, P.Y. Ayala, H.B.Schlegel, M.J. Frisch. *J. Comp. Chem.* **1996**. Vol.17. 49p.
- [7] J. Tomasi, B. Mennucci, R. Cammi. *Chem. Rev.* **2005**. Vol.105. 2999p.

- [8] ADF2004.01, SCM, Theoretical Chemistry, Vrije Universiteit, Amsterdam, The Netherlands, <http://www.scm.com>
[9] G. te Velde, F.M. Bickelhaupt, T. Ziegler. *J. Comput. Chem.* **2001**. Vol.22. 931p.
[10] J.P. Perdew, K. Burke, M. Ernzerhof. *Phys. Rev. Lett.* **1996**. Vol.77. 3965p.
[11] Vilkov L.V., Mastryukova V.S., Sadova N.I., Determination of the geometric structure of free molecules. *L. Chem.* **1978**. 224p.
[12] L.A. Curtiss, K. Raghavachari, P.C. Redfern, J.A. Pople. *J. Chem. Phys.* **1997**. Vol.106. 1063p.
[13] O.Kh. Poleshchuk, A.G. Yureva, V.D. Filimonov, G. Frenking. *J. Mol. Struct. Theochem.* **2009**. Vol.912. 67p.
[14] Batsanov S.S., Structural Chemistry. Facts and dependence. *M.: Dialog.MSU.* **2000**. 292p.
E.D. Glendening, A.E. Reed, J.E. Carpenter and F. Weinhol NBO Version 3.1.

УДК 541.1+530.145

О. Х. Полещук¹, Е. А. Краснов², Г.М.Адырбекова, М.Н. Ермаханов³, П.А. Саидахметов³,

¹Национальный исследовательский Томский политехнический университет, 634030 Томск, Россия

²Сибирский государственный медицинский университет, 634050 Томск, Россия

³Южно-Казахстанский государственный университет им. М. Ауезова, Шымкент, РК

ИССЛЕДОВАНИЕ МЕДИБОРОЛА НА ОСНОВАНИИ ТЕОРИИ ФУНКЦИОНАЛА ПЛОТНОСТИ

Аннотация. Проведены квантово-химические расчеты медиборолы в газовой фазе и в растворе методом функционала плотности с использованием полноэлектронного базисного набора 6-31G(d) в программном пакете GAUSSIAN'03 и TZ2P+ в программе Амстердамский функционал плотности. Показана структурная возможность реакции медиборолы с хлоридом железа, проведен анализ орбитальных взаимодействий. Показана термодинамическая невозможность протекания этой реакции.

Ключевые слова: теория функционала плотности, B3LYP/6-31G(d), медиборол, натуральные орбитали связи.

О. Х. Полещук¹, Е. А. Краснов², Г.М. Адырбекова, М.Н. Ермаханов³, П.А. Саидахметов³

¹Томск ұлттық зерттеу политехникалық университеті, 634030 Томск, Ресей;

²Сібір мемлекеттік медицина университеті, 634050 Томск, Ресей;

³М.Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент қ., Қазақстан Республикасы

ТЫҒЫЗДЫҚ ФУНКЦИОНАЛДЫ ТЕОРИЯСЫ НЕГІЗІНДЕ МЕДИБОРОЛДЫ ЗЕРТТЕУ.

Аннотация. Медиборолдың газды фазадағы және ерітіндідегі тығыздықты функционал тәсілімен тығыздықтың Амстердам функционалы бағдарламасында GAUSSIAN'03 және TZ2P+ бағдарламалық пакетінде 6-31G(d) толық электронды базисты жиынтығын қолдана отырып кванты-химиялық есептеулер жүргізілді. Медиборолдың темір хлоридімен реакциясының құрылымдық мүмкіндігі көрсетілді және орбитальдық әрекеттесулерге талдау жасалды. Осы реакцияның жүруінің термодинамикалық мүмкін еместігі көрсетілді.

Түйін сөздер: Тығыздық функционалының теориясы, B3LYP/6-31G(d), медиборол, байланыстың табиғи орбитальдары.

CONTENTS

<i>Turan D., Sulyeyev R.N., Amirgaliyev Ye. N.</i> A Modified Sparse Leaky-LMS Algorithm for System Identification.....	5
<i>Poleshchuk O. Kh., Kovaleva S.V., Ermakhanov M.N., Saidakhmetov P.A., Uitelbaeva A.B., Nurullaev M.A.</i> Using of density functional theory for analysis of surface interaction between metallic mercury and ammonium bases.....	12
<i>Poleshchuk O.Kh., Izaak T.I., Adyrbekova G.M., Ermakhanov M.N., Saidakhmetov P.A., Abdraimov R.T.</i> Analysis of the interaction of four-atom silver cluster with surface of silicon dioxide by density functional theory methods.....	18
<i>Turgumbayeva A., Naurzalina D.</i> The theoretical aspects of professional motivation in the context of cross-cultural psychology	31
<i>Dostiyarova A.</i> Students' perception of organizational culture AT KIMEP university based on OCAI instrument	36
<i>Kazhenova A. E.</i> Corporate social responsibility: variety of conceptual framework and forms.....	43
<i>Kaliyeva-Khasenov A.B.</i> The development of transcontinental infrastructure of the Republic of Kazakhstan.....	49
<i>Naurzalina D.G., Aimaganbetova O.Kh., Almurzayeva B.K., Abdirakhmanova Y., Zhubandikova M.K., Buzelo A.S.</i> Psychological aspect of development of ethnic tolerance among students in multy lingual society.....	54
<i>Poleshchuk O. Kh., Krasnov E. A., Adyrbekova G.M., Ermakhanov M.N., Saidakhmetov P.A.</i> Investigation of mediborol on the basis of density functional theory.....	60
<i>Khoich A., Abaidilda A.</i> Current Tendencies of Multinational Corporations' activities in Kazakhstan.....	65

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://www.reports-science.kz/index.php/ru/>

Редакторы *М. С. Ахметова, Д. С. Аленов, Т.А. Апендиев*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 20.05.2016.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
11 п.л. Тираж 2000. Заказ 3.