

ISSN 2224-5227

2016 • 3

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
БАЯНДАМАЛАРЫ

ДОКЛАДЫ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

REPORTS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ЖУРНАЛ 1944 ЖЫЛДАН ШЫҒА БАСТАҒАН

ЖУРНАЛ ИЗДАЕТСЯ С 1944 г.

PUBLISHED SINCE 1944



Бас редактор
ҚР ҰҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

хим.ғ. докторы, проф., ҚР ҰҒА академигі **Әдекенов С.М.** (бас редактордың орынбасары), эк.ғ. докторы, проф., ҚР ҰҒА академигі **Әділов Ж.М.**, мед. ғ. докторы, проф., ҚР ҰҒА академигі **Арзықұлов Ж.А.**, техн. ғ. докторы, проф., ҚР ҰҒА академигі **Бишімбаев У.К.**, а.-ш.ғ. докторы, проф., ҚР ҰҒА академигі **Есполов Т.И.**, техн. ғ. докторы, проф., ҚР ҰҒА академигі **Мұтанов Г.М.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Өтелбаев М.О.**, пед. ғ. докторы, проф., ҚР ҰҒА академигі **Пралиев С.Ж.**, геогр.ғ. докторы, проф., ҚР ҰҒА академигі **Северский И.В.**; тарих.ғ. докторы, проф., ҚР ҰҒА академигі **Сыдықов Е.Б.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Тәкібаев Н.Ж.**, физ.-мат.ғ. докторы, проф., ҚР ҰҒА академигі **Харин С.Н.**, тарих ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Әбүсейітова М.Х.**, экон. ғ. докторы, проф., ҰҒА корр. мүшесі **Бейсембетов И.К.**, биол. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Жамбакин К.Ж.**, тарих ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Кәрібаев Б.Б.**, мед. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Локшин В.Н.**, геол.-мин. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Өмірсеріков М.Ш.**, физ.-мат. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Рамазанов Т.С.**, физ.-мат. ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Садыбеков М.А.**, хим.ғ. докторы, проф., ҚР ҰҒА корр. мүшесі **Сатаев М.И.**; ҚР ҰҒА құрметті мүшесі, а.-ш.ғ. докторы, проф. **Омбаев А.М.**

Редакция кеңесі:

Украинаның ҰҒА академигі **Гончарук В.В.** (Украина), Украинаның ҰҒА академигі **Неклюдов И.М.** (Украина), Беларусь Республикасының ҰҒА академигі **Гордиенко А.И.** (Беларусь), Молдова Республикасының ҰҒА академигі **Дука Г.** (Молдова), Тәжікстан Республикасының ҰҒА академигі **Илолов М.И.** (Тәжікстан), Қырғыз Республикасының ҰҒА академигі **Эркебаев А.Э.** (Қырғызстан), Ресей ҒА корр. мүшесі **Величкин В.И.** (Ресей Федерациясы); хим.ғ. докторы, профессор **Марек Сикорски** (Польша), тех.ғ. докторы, профессор **Потапов В.А.** (Украина), биол.ғ. докторы, профессор **Харун Парлар** (Германия), профессор **Гао Энджун** (КХР), филос. ғ. докторы, профессор **Стефано Перни** (Ұлыбритания), ғ. докторы, профессор **Богуслава Леска** (Польша), философия ғ. докторы, профессор **Полина Прокопович** (Ұлыбритания), профессор **Вуйцик Вольдемар** (Польша), профессор **Нур Изура Уздир** (Малайзия), д.х.н., профессор **Нараев В.Н.** (Ресей Федерациясы)

Главный редактор
академик НАН РК **М.Ж. Журинов**

Редакционная коллегия:

доктор хим. наук, проф., академик НАН РК **С.М. Адекенов** (заместитель главного редактора), доктор экон. наук, проф., академик НАН РК **Ж.М. Адилов**, доктор мед. наук, проф., академик НАН РК **Ж.А. Арзыкулов**, доктор техн. наук, проф., академик НАН РК **В.К. Бишимбаев**, доктор сельскохозяйств. наук, проф., академик НАН РК **Т.И. Есполов**, доктор техн. наук, проф., академик НАН РК **Г.М. Мутанов**, доктор физ.-мат. наук, проф., академик НАН РК **М.О. Отелбаев**, доктор пед. наук, проф., академик НАН РК **С.Ж. Пралиев**, доктор геогр. наук, проф., академик НАН РК **И.В. Северский**; доктор ист. наук, проф., академик НАН РК **Е.Б. Сыдыков**, доктор физ.-мат. наук, проф., академик НАН РК **Н.Ж. Такибаев**, доктор физ.-мат. наук, проф., академик НАН РК **С.Н. Харин**, доктор ист. наук, проф., чл.-корр. НАН РК **М.Х. Абусейтова**, доктор экон. наук, проф., чл.-корр. НАН РК **И.К. Бейсембетов**, доктор биол. наук, проф., чл.-корр. НАН РК **К.Ж. Жамбакин**, доктор ист. наук, проф., чл.-корр. НАН РК **Б.Б. Карибаев**, доктор мед. наук, проф., чл.-корр. НАН РК **В.Н. Локшин**, доктор геол.-мин. наук, проф., чл.-корр. НАН РК **М.Ш. Омирсериков**, доктор физ.-мат. наук, проф., чл.-корр. НАН РК **Т.С. Рамазанов**, доктор физ.-мат. наук, проф., чл.-корр. НАН РК **М.А. Садыбеков**, доктор хим. наук, проф., чл.-корр. НАН РК **М.И. Сатаев**; почетный член НАН РК, доктор сельскохозяйств. наук, проф., **А.М. Омбаев**

Редакционный совет:

академик НАН Украины **Гончарук В.В.** (Украина), академик НАН Украины **И.М. Неклюдов** (Украина), академик НАН Республики Беларусь **А.И.Гордиенко** (Беларусь), академик НАН Республики Молдова **Г. Дука** (Молдова), академик НАН Республики Таджикистан **М.И. Илолов** (Таджикистан), член-корреспондент РАН **Величкин В.И.** (Россия); академик НАН Кыргызской Республики **А.Э. Эркебаев** (Кыргызстан), д.х.н., профессор **Марек Сикорски** (Польша), д.т.н., профессор **В.А. Потапов** (Украина), д.б.н., профессор **Харун Парлар** (Германия), профессор **Гао Энджун** (КНР), доктор философии, профессор **Стефано Перни** (Великобритания), доктор наук, профессор **Богуслава Леска** (Польша), доктор философии, профессор **Полина Прокопович** (Великобритания), профессор **Вуйцик Вольдемар** (Польша), профессор **Нур Изура Удзир** (Малайзия), д.х.н., профессор **В.Н. Нараев** (Россия)

«Доклады Национальной академии наук Республики Казахстан» ISSN 2224-5227

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5540-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год. Тираж: 2000 экземпляров

Адрес редакции: 050010, г.Алматы, ул.Шевченко, 28, ком.218-220, тел. 272-13-19, 272-13-18

<http://nauka-nanrk.kz> reports-science.kz

Адрес типографии: ИП «Аруна», г.Алматы, ул.Муратбаева, 75

©Национальная академия наук Республики Казахстан, 2016 г.

E d i t o r - i n - c h i e f

M.Zh. Zhurinov, academician of NAS RK

Editorial board:

S.M. Adekenov (deputy editor in chief), Doctor of Chemistry, prof., academician of NAS RK; **Zh.M. Adilov**, Doctor of Economics, prof., academician of NAS RK; **Zh.A. Arzykulov**, Doctor of Medicine, prof., academician of NAS RK; **V.K. Bishimbayev**, Doctor of Engineering, prof., academician of NAS RK; **T.I. Yespolov**, Doctor of Agriculture, prof., academician of NAS RK; **G.M. Mutanov**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **M.O. Otelbayev**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **S.Zh. Praliyev**, Doctor of Education, prof., academician of NAS RK; **I.V. Seversky**, Doctor of Geography, prof., academician of NAS RK; **Ye.B. Sydykov**, Doctor of Historical Sciences, prof., academician of NAS RK; **N.Zh. Takibayev**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **S.N. Kharin**, Doctor of Physics and Mathematics, prof., academician of NAS RK; **M.Kh. Abuseitova**, Doctor of Historical Sciences, prof., corr. member of NAS RK; **I.K. Beisembetov**, Doctor of Economics, prof., corr. member of NAS RK; **K.Zh. Zhambakin**, Doctor of Biological Sciences, prof., corr. member of NAS RK; **B.B. Karibayev**, Doctor of Historical Sciences, prof., corr. member of NAS RK; **V.N. Lokshin**, Doctor of Medicine, prof., corr. member of NAS RK; **M.Sh. Omirserikov**, Doctor of Geology and Mineralogy, prof., corr. member of NAS RK; **T.S. Ramazanov**, Doctor of Physics and Mathematics, prof., corr. member of NAS RK; **M.A. Sadybekov**, Doctor of Physics and Mathematics, prof., corr. member of NAS RK; **M.I. Satayev**, Doctor of Chemistry, prof., corr. member of NAS RK; **A.M. Ombayev**, Honorary Member of NAS RK, Doctor of Agriculture, prof.

Editorial staff:

V.V. Goncharuk, NAS Ukraine academician (Ukraine); **I.M. Neklyudov**, NAS Ukraine academician (Ukraine); **A.I. Gordienko**, NAS RB academician (Belarus); **G. Duca**, NAS Moldova academician (Moldova); **M.I. Iolov**, NAS Tajikistan academician (Tajikistan); **A.E. Erkebayev**, NAS Kyrgyzstan academician (Kyrgyzstan); **V.I. Velichkin**, RAS corr.member (Russia); **Marek Sikorski**, Doctor of Chemistry, prof. (Poland); **V.A. Potapov**, Doctor of Engineering, prof. (Ukraine); **Harun Parlar**, Doctor of Biological Sciences, prof. (Germany); **Gao Endzhun**, prof. (PRC); **Stefano Perni**, Doctor of Philosophy, prof. (UK); **Boguslava Leska**, dr, prof. (Poland); **Pauline Prokopovich**, Doctor of Philosophy, prof. (UK); **Wójcik Waldemar**, prof. (Poland), **Nur Izura Udzir**, prof. (Malaysia), **V.N. Narayev**, Doctor of Chemistry, prof. (Russia)

Reports of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2224-5227

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5540-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of.219-220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://nauka-nanrk.kz/> reports-science.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

© National Academy of Sciences of the Republic of Kazakhstan, 2016

ИДЕНТИФИКАЦИЯ СИСТЕМ С ПОМОЩЬЮ МОДИФИЦИРОВАННОГО РАЗРЕЖЕННОГО LMS АЛГОРИТМА С УТЕЧКОЙ

Туран Д., Сулиев Р.Н., Амиргалиев Е.Н.

*Кафедра компьютерной инженерии, Университет им. С. Демиреля, Каскелен, Казахстан
эл. почта: {cemil.turan, rassim.suliyev,yedilkhan.amirgaliyev}@sdu.edu.kz

Ключевые слова: адаптивные алгоритмы, идентификация систем, разреженные системы.

Аннотация. В данной статье предлагается новый LMS алгоритм с утечкой (LLMS), который улучшает алгоритм ZA-LLMS (Zero-Attracting Leaky-LMS) используемый для идентификации разреженной системы. Предложенный алгоритм использует разреженность системы с преимуществами переменности размера шага и штрафа l_0 -нормы. Мы сравнили производительность предложенного алгоритма с LLMS и ZA-LLMS с точки зрения скорости сходимости и среднеквадратичного отклонения (MSD). Эксперименты проводились в среде MATLAB. Моделирование показало, что предложенный алгоритм имеет превосходство над другими алгоритмами для обоих типов входных сигналов: аддитивного белого Гауссовского шума (AWGN) и аддитивного коррелированного Гауссовского шума (ACGN).

A MODIFIED SPARSE LEAKY-LMS ALGORITHM FOR SYSTEM IDENTIFICATION

D. Turan, R.N. Suliyev, Ye. N. Amirgaliyev

*Department of Computer Engineering, Suleyman Demirel University, Almaty, Kazakhstan
E-mail: {cemil.turan, rassim.suliyev,yedilkhan.amirgaliyev}@sdu.edu.kz

Keywords. Adaptive algorithms, system identification, sparse systems.

Abstract. In this paper, we propose a new Leaky-LMS (LLMS) algorithm that improves the Zero-Attracting Leaky-LMS (ZA-LLMS) for sparse system identification. The proposed algorithm exploits the sparsity of the system with the advantages of the variable step-size and l_0 -norm penalty. We compared the performance of our proposed algorithm with the LLMS and ZA-LLMS in terms of the convergence rate and mean-square-deviation (MSD). Experiments were performed in MATLAB. Simulations showed that the proposed algorithm has superiority over the other algorithms for both types of input signals of additive white Gaussian noise (AWGN) and additive correlated Gaussian noise (ACGN).

I. INTRODUCTION

The least-mean-square (LMS) algorithm is a well-known algorithm and has been successfully used for system identification model (see Fig. 1) in adaptive filtering technology [1]. Many researchers studied to improve the performance of the conventional LMS algorithm for different environments. Thus, many different LMS-type algorithms were proposed.

Leaky-LMS-type algorithms were proposed [2,3] to overcome the issues when the input signal is highly correlated, by using shrinkage in its update equation. Another LMS based algorithm VSSLMS uses

a variable step-size in update equation of the standard LMS to increase the convergence speed at the beginning stages of the iterations and decrease MSD at later iterations [4,5]. In order to improve the performance of the LMS algorithm when the system is sparse (most of the system coefficients are zero), ZA-LMS algorithm was proposed in [6].

In [7], the author proposed ZA-LLMS algorithm which combines the LLMS algorithm and ZA-LMS algorithm for sparse system identification. A better performance was obtained for AWGN and ACGN input signals. In [8], a high performance algorithm called zero-attracting function-controlled variable step-size LMS (Z AFC-VSSLMS) was proposed by using the advantages of variable step-size and l_0 -norm penalty. We were motivated by the inspiration of the combination of these two algorithms. So in this paper, we proposed a new algorithm that combines the ZA-LLMS and Z AFC-VSSLMS algorithms. In the next section, a brief review of the LLMS and ZA-LLMS algorithms is provided. We derived the proposed algorithm in Section III. In Section IV, the simulations are presented and the performances of the algorithms are compared. Conclusions are drawn in the last section.




Fig. 1 – Block diagram of the system identification process.

II. REVIEW OF THE RELATED ALGORITHMS

a) Leaky-LMS (LLMS) Algorithm

In a system identification process, the desired signal is defined as,

$$d(n) = \mathbf{h}^T \mathbf{x}(n) + v(n) \quad (1)$$

where $\mathbf{h} = [h_0, \dots, h_{N-1}]^T$ is the unknown system coefficients with length N , $\mathbf{x}(n) = [x_0, \dots, x_{N-1}]^T$ is the input-tap vector and $v(n)$ is the additive noise. In addition to being independent of the noise sample $v(n)$ with zero mean and variance of σ_v^2 , the input data sequence $\mathbf{x}(n)$ and the additive noise sample $v(n)$ are also assumed to be independent.

The cost function of the LLMS algorithm is given by,

$$J_1(n) = \frac{1}{2} e^2(n) + \gamma \mathbf{w}^T(n) \mathbf{w}(n) \quad (2)$$

where $\mathbf{w}(n)$ is the filter-tap vector at time n , γ is a positive constant called ‘leakage factor’ and $e(n)$ is the instantaneous error and given by,

$$e(n) = d(n) - \mathbf{w}^T(n)\mathbf{x}(n) \quad (3)$$

The update equation of the LLMS algorithm can be derived by using the gradient method as,

$$\begin{aligned} \mathbf{w}(n+1) &= \mathbf{w}(n) + \mu \frac{\partial J(n)}{\partial \mathbf{w}(n)} \\ &= (1 - \mu\gamma)\mathbf{w}(n) + \mu e(n) \end{aligned} \quad (4)$$

where μ is the step-size parameter of the algorithm.

b) Zero-Attracting Leaky-LMS (ZA-LLMS) Algorithm

The cost function of the LLMS algorithm was modified by adding the log-sum penalty of the filter-tap vector as given below:

$$J_2(n) = \frac{1}{2}e^2(n) + \gamma \mathbf{w}^T(n)\mathbf{w}(n) + \gamma' \sum_{i=1}^N \left(1 + \frac{|w_i|}{\xi'}\right) \quad (5)$$

where γ' and ξ' are positive parameters. Taking the gradient of the cost function and subtracting from the previous filter-tap vector iteratively, then the update equation was derived as follows [7]:

$$\mathbf{w}(n+1) = (1 - \mu\gamma)\mathbf{w}(n) + \mu e(n)\mathbf{x}(n) - \rho \frac{\text{sgn}[\mathbf{w}(n)]}{1 + \xi'|\mathbf{w}(n)|} \quad (6)$$

where $\rho = \frac{\mu\gamma'}{\xi'}$ is the zero-attracting parameter, $\xi = \frac{1}{\xi'}$ and $\text{sgn}(\cdot)$ operation is defined as,

$$\text{sgn}(x) = \begin{cases} \frac{x}{|x|} & \text{if } x \neq 0 \\ 0 & \text{if } x = 0 \end{cases} \quad (7)$$

III. THE PROPOSED ALGORITHM

An improved sparse LMS-type algorithm was proposed in [8] by exploiting the advantages of variable step-size and recently proposed [9] l_0 -norm which gives an approximate value of $\|\cdot\|_0$. We modify the cost function of that algorithm by adding the weight vector norm penalty as,

$$J_3(n) = \frac{1}{2}e^2(n) + \gamma \mathbf{w}^T(n)\mathbf{w}(n) + \varepsilon \|\mathbf{w}(n)\|_0 \quad (8)$$

where ε is a small positive constant and $\|\mathbf{w}(n)\|_0$ denotes the l_0 -norm of the weight vector given as,

$$\|\mathbf{w}(n)\|_0 \approx \sum_{k=0}^{N-1} (1 - e^{-\lambda|w(n)|}) \quad (9)$$

where λ is a positive parameter. Deriving (8) with respect to $\mathbf{w}(n)$ and substituting in the update equation we get,

$$\mathbf{w}(n+1) = (1 - \mu(n)\gamma)\mathbf{w}(n) + \mu(n)e(n)\mathbf{x}(n) - \rho(n)\text{sgn}[\mathbf{w}(n)]e^{-\lambda|\mathbf{w}(n)|} \quad (10)$$

where $\rho(n) = \mu(n)\varepsilon\lambda$. It is seen that, the update equation of the ZA-LLMS algorithm has been modified by changing the constant step-size μ with $\mu(n)$ given in [8] and the zero-attractor $\rho \frac{\text{sgn}[\mathbf{w}(n)]}{1 + \xi|\mathbf{w}(n)|}$ with $\rho(n)\text{sgn}[\mathbf{w}(n)]e^{-\lambda|\mathbf{w}(n)|}$.

IV. SIMULATION RESULTS

In this section, we compare the performance of the proposed algorithm with LLMS and ZA-LLMS algorithms in high-sparse and low-sparse system identification settings. Two different experiments are performed for each of AWGN and ACGN input signals. To increase the reliability of the expected ensemble average, experiments were repeated by 200 independent Monte-Carlo runs. The constant parameters are found by extensive tests of simulations to obtain the optimal performance as follows: For LLMS: $\mu=0.002$ and $\gamma=0.001$. For ZA-LLMS: $\mu=0.002$, $\gamma=0.001$, $\rho=0.0005$ and $\zeta=30$. For the proposed algorithm: $\rho=0.0005$ and $\lambda=8$.

In the first experiment, all algorithms are compared for 90% high-sparsity and 50% low-sparsity of the system with 20 coefficients having in the first part, two ‘1’ and 18 ‘0’; in the second part, ten ‘1’ and ten ‘0’ for 5000 iterations. Signal-to-noise ratio (SNR) is kept at 10 dB by regulating the variances of the input signal and the additive noise. The performances of the of the algorithm are compared in terms of convergence speed and $MSD = E\{\|\mathbf{h} - \mathbf{w}(n)\|^2\}$. Fig. 2 and Fig. 3 give the MSD vs. iteration number of the three algorithms for 90% sparsity and 50% sparsity levels respectively. They show that, the proposed algorithm has a fairly fast convergence with lower MSD than that of the other algorithms.

In the second experiment, all conditions are kept as same as in the previous experiment except the input signal type. A correlated signal is created by the AR(1) process as $x(n) = 0.4x(n-1) + v_0(n)$ and the normalized. Fig. 4 and Fig. 5 show that, the proposed algorithm has again a faster convergence and lower MSD than the other algorithms for 90% sparsity and 50% sparsity levels respectively.

IV. CONCLUSIONS

In this work, we proposed a modified leaky-LMS algorithm for sparse system identification. It was derived by combining the ZA-LLMS and ZAFC-LMS algorithms. The performance of the proposed algorithm was compared with LLMS and ZA-LLMS algorithms for 90% and 50% sparsity levels of the system with AWGN and ACGN input signals in two different experiments performed in MATLAB. Simulations showed that the proposed algorithm has a very high performance with a quite faster convergence and lower MSD than that of the other algorithms. As a future work, it is recommended that the proposed algorithm can be modified for transform domain or be tested for non-stationary systems.




Fig. 2 – Steady state behavior of the LLMs, ZA-LLMS and the proposed algorithm for 90% sparsity with AWGN.




Fig. 3 – Steady state behavior of the LLMs, ZA-LLMS and the proposed algorithm for 50% sparsity with AWGN.




Fig. 4 – Steady state behavior of the LLMs, ZA-LLMs and the proposed algorithm for 90% sparsity with ACGN.




Fig. 5 – Steady state behavior of the LLMs, ZA-LLMs and the proposed algorithm for 50% sparsity with ACGN.

REFERENCES

[1] Haykin S. *Adaptive Filter Theory*, Prentice Hall, Upper Saddle River, NJ, 2002.
 [2] Mayyas K. A. and Aboulnasr T. "Leaky-LMS: a detailed analysis," in *Proc. IEEE International Symposium on Circuits and Systems*, 1995, vol. 2, pp. 1255-1258.

- [3] M. Sowjanya, A. K. Sahoo and Sananda Kumar, "Distributed Incremental Leaky LMS," *International Conference on Communications and Signal Processing (ICCSP)*, 2015, pp. 1753-1757.
- [4] Chen W. Y. and Haddad R. "A variable step size LMS algorithm," *IEEE Proceedings of the 33rd Midwest Symposium on Circuits and Systems*, 1990, vol. 1, Calgary, pp. 423-426 .
- [5] Won Y. K., Park R. H., Park J. H. and Lee B. U. "Variable LMS algorithms using the time constant concept," *IEEE Transactions on Consumer Electronics*, 1994, vol. 40, no. 4, pp. 1083-1087.
- [6] Chen Y., Gu Y. and Hero A. O. "Sparse LMS For System Identification," *IEEE International Conference Acoustic, Speech and Signal Processing*, 2009, pp. 3125-3128.
- [7] Salman M. S. "Sparse leaky-LMS algorithm for system identification and its convergence analysis," *International Journal of Adaptive Control and Signal Processing*, 2013, vol. 28, no. 10, pp. 1065-1072.
- [8] Turan C. and Salman M. S. "Zero-Attracting Function Controlled VSSLMS Algorithm with Analysis," *Circuits, Systems, and Signal Processing*, Springer, 2015, DOI 10.1007/s00034-015-9996-5.
- [9] Sing-Long C.A., Tejos C.A., Irarrazaval P. Evaluation of continuous approximation functions for the l_0 -norm for compressed sensing, *Proc. Int. Soc. Mag. Reson. Med.*, 2009, vol. 17, pp. 4585.

**МОДИФИКАЦИЯ ЛАНҒАН СИРЕК LMS-АҒАТЫН
АЛГОРИТМНІҢ КӨМЕГІМЕН ЖҮЙЕЛЕРДІ СӘЙКЕСТЕНДІРУ**

Д. Туран, Р.Н. Сулиев, Е.Н. Әміргалиев

Тірек сөздер: адаптивті алгоритмдер, жүйелерді сәйкестендіру, сиректелген жүйелер.

Аңдатпа. Бұл мақалада сиректелген жүйені сәйкестендіру үшін ZA-LLMS (Zero-Attracting Leaky-LMS) алгоритмін жақсартуда қолданылатын жаңа LMS-ағатын алгоритмін ұсынылады. Ұсынылған алгоритм қадам мөлшері мен l_0 -нормалы айыппұлдың ауытқу артықшылықтарымен сиректелген жүйені қолданады. Өнімділігін салыстыру мақсатында ұсынылып отырған алгоритмді LLMS-пен және ZA-LLMS-пен жинақтылық жылдамдығы мен ортақвадратталған ауытқу (MSD) тұрғысынан салыстырды. Зерттеулер MATLAB орталығында жүргізілді. Модельдеудің жетістігі, екі типтегі кіріс сигналдарыны үшін: қосымша ақ Гаусс шуы (AWGN) мен қосымша корреляциялық Гаусс шуы (ACGN), ұсынылып отырған алгоритм басқада алгоритмдерден үстемділігінің артықшылығын көрсетеді.

Поступила 16.05.2016 г.

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the originality detection service Cross Check <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://www.reports-science.kz/index.php/ru/>

Редакторы *М. С. Ахметова, Д. С. Аленов, Т.А. Апендиев*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 20.05.2016.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.

11 п.л. Тираж 2000. Заказ 3.